



NEW
COLLECTION

 **GREENTECH**
ENVIRONMENTAL CYCLISTS



Complete bicycles (SKD/CKD)

Any kind of bicycles : E-BIKE, MTB, CROSS-COUNTRY, ATB, ROAD, CTB, FIXED GEAR, FREESTYLE, TRI-CYCLES...etc.



BICYCLE PARTS & ACCESSORIES : Frame, Fork, Chainwheel, Pedals...etc.



O.D.M or O.E.M : Any private design for parts or bicycles are welcome.



New material development :

Carbon-fiber, Titanium , Aluminum, Cromoly...etc.



We are not only a supplier but also an excellent partner ! Our team can help you carry out your ideas, "Mission Impossible" is our target to pursuing perfect.

Our company is established since 1996 in Taiwan, offer the service for SKD/CKD/PARTS to European & American/Japanese market. Since 1998 established branch in XiaoShan, Shanghai ; since 2005 set up branch office in Tianjing.

With our experienced team work, we do believe can help you saving a lot of cost and make sure the delivery quality. No matter ship from Taiwan or China, our partnership and professional service can be your best support.

WELCOME TO WORK WITH ABC TEAM !

BUSINESS CONCEPTS







PRODUCTS CONTENTS

06	Complete Bike	48	Grip
12	Frame	49	Grip Tape
22	Fork	49	Pedal
24	Handlebar & Bar End	54	Mudguard
26	Stem	55	Carrier
27	Seat Post	56	Basket
27	Seat Post Clamp	58	Kickstand
28	Quick Release	59	Light
28	Head Parts	65	Pump
30	Chainwheel & Crankest	67	Bell
32	BB Parts	69	Helmet
33	Grip Shifter	70	Water Bottle
34	Front Derailleur	71	Water Bottle Cage
34	Rear Derailleur	72	Cellphone Mount Holder
35	Freewheel	72	Bag
36	Chains	74	Gloves
37	Hub	74	Lock
38	Rim	76	Tool
41	Tire	79	Cleaner
42	Mechanical/Hydraulic Disc Brake	80	Baby Seat
42	V Brake	81	Trainer
43	Brake Lever	81	Bike Carrier
44	Brake Shoes	82	Cycle Computer
45	Brake Cable	83	Accessories
46	Saddle		

COMPLETE BIKE

HOLLAND E-BIKE

- **TYPE** 28" E-BIKE for Shimano Steps
- **MATERIAL** Alloy 6061
- **MOTOR** 250W.25Km/hr
- **BATTERY** 36V x 11.6.Ah
- **GEAR** Shimano NEXUS 8-Speed



16C7001

- 700C Alloy Frame and Fork
- Shimano 105 22 Speed 50/34T
- Alex Wheel Set R475



17R-RT30D

- 700C Road Disc Gravel Bike
- **FRAME** Reynolds 853
- **FORK** Speed One Disc Tapered Carbon
- **DERAILLEUR, SHIFTER** Sram Rival 22
- **DISC BRAKES** Juin GG-F1



17C-P13CX8

- 700C Cyclocross Bike
- Reynolds 853 Frame and Cr-mo Fork
- **F/R DERAILLEUR** Sram Rival 22
- **BRAKES** TRP Spyre Disc



COMPLETE BIKE

17C2401 ROAD BIKE

- **TYPE** 24" ROAD Bike
- **MATERIAL** Alloy Frame and Fork
- **SHIFTER** Microshift SB-R482(S)
- **F/R DERAILLEUR** Microshift FD-252B/RD-R32S
- **CHAINWHEEL** 34/46T, 155L
- **FREEWHEEL** 11-28T . 8-Speed



17C2001 ROAD BIKE

- **TYPE** 20" ROAD Bike
- **MATERIAL** Alloy Frame and Fork
- **SHIFTER** Microshift SB-R470(S)
- **R/ DERAILLEUR** Sunrace RD-R37 SD
- **CHAINWHEEL** 36T/145L
- **FREEWHEEL** 11-25T . 7-Speed



16M2601 FAT BIKE

- 26" Alloy Frame and Fork
- Shimano Deore 20 Speed, 36/22T/26" x 4.0 tire
- Tektro HD-M330 Hydraulic Disc Brake



15M275-2 ROCK 3

- 27.5" Suspension Alloy Frame
- SR Suntour Raidon-XC-DS-LO-R
- Shimano Deore 30 Speed 42-32-24T
- Hydraulic Disc Brake



COMPLETE BIKE

16M27502

- **TYPE** 27.5" MTB
- 27.5" Suspension Alloy Frame
- SR Suntour Raidon-XC-DS-LO-R
- Shimano Deore 30 Speed 42-32-24T
- Hydraulic Disc Brake



16C7003 FIX GEAR

- 700C Cr-mo Frame and Fork
- Aluminum Magnesium Alloy Wheel Set
- Integrated Outside Bearing BB/44T



17C-P17D25

- 700C City Bike
- Reynolds 525 Frame and Cr-mo Fork
- **BRAKES** TRP Spyre Disc
- Shimano SL SL-S7000-8 8sp Shifter
- Gates Carbon Fiber CDX 115T Belt



17F-P41SORA

- 20" 451 Suspension Folding Bike
- Cr-mo Frame and Fork
- **REAR DERAILLEUR** Shimano Sora
- **SHIFTER** Shimano SL-3500 Right
- **BRAKES** Tektro 857AL



FRAME

E1

- **TYPE** 28" E-Bike Frame
- **MATERIAL** Alloy 6061
- **H/T SIZE** 1-1/8" Integrated
- Shimano System E-6000
- **BATTERY LOCATION** Carrier
- **CODE** DLFA005-28500



E2

- **TYPE** 27.5" E-Bike Frame
- **MATERIAL** Alloy 6061
- **H/T SIZE** 1- 1/8" x 1.5" Taper Integrated
- Shimano System E-6000
- **BATTERY LOCATION** D/T
- **CODE** DLFM002-27.5483



E3

- **TYPE** MTB E-BIKE
- **MATERIAL** 6061 Hydroforming
- **MOTOR** Shimano E8000
- **WEIGHT** 2.56kg(48cm)



E4

- **TYPE** Pinion Gearbox
- **MATERIAL** Cr-Mo
- **DROPOUT** Horizontal
- **GEAR** Pinion



16-MTB-26001

- **TYPE** 26" MTB
- **MATERIAL** Full Alloy 6061
- **H/T SIZE** 1-1/8"
- **FRAME SIZE** 432mm (C-T)
- **FORK TRAVEL** 100mm
- **BB SIZE** 68mm



16-MTB-26002

- **TYPE** 26" MTB
- **MATERIAL** Full Alloy 6061
- **H/T SIZE** 1-1/8"
- **FRAME SIZE** 420mm (C-T)
- **FORK TRAVEL** 100mm
- **BB SIZE** 68mm



FRAME

16-MTB-275

- **TYPE** 27.5" MTB
- **MATERIAL** Full Alloy 6061
- **H/T SIZE** 1-1/8"
- **FRAME SIZE** 483 mm (C-T)
- **FORK TRAVEL** 100mm
- **BB SIZE** 68mm



17-MTB-275

- **TYPE** 27.5" MTB Frame Kit
- **MATERIAL** Alloy 6061
- **H/T SIZE** 1-1/8" x 1.5" Taper Integrated
- **STEM** 28.6 x 100mm Alloy 6061
- **SUSPENSION FORK** Alloy 6061
- **TRAVEL** 100mm



17-MTB-2601

- **TYPE** 26" MTB Frame Kit
- **MATERIAL** Full Cr-mo
- **H/T SIZE** 1-1/8" x 1.5" Taper Integrated
- **STEM** 28.6 x 100mm Alloy 6061
- **SUSPENSION FORK** Alloy 6061
- **TRAVEL** 100mm



17-TSM003

- Full Carbon Monocoque Frame
- **SIZE AVAILABLE** 15" /17" /19" /21"
- **HEAD TUBE** 1 1/8" - 1 1/2"
- **SEAT POST** Ø31.6mm
- **BOTTOM BRACKET** BSA BB30 BB92 BB30
- Cable Routing 1.Internal Cable Routing (For RB/FD/RD)
- 2.Internal Cable Routing(For FD/RD), Dut Routing (For RB)
- **GRADE AVAILABLE** B 1200g(For Size 17" /BSA)
- **TIRE MAX** 27.5" x 2.35"
- **O.L.D QR** 135mm or TA Ø12 x 142mm



16-MTB-27502

- **TYPE** 27.5" PLUS Frame
- **MATERIAL** Alloy 6061
- **H/T SIZE** 1-1/8" x 1.5" Taper
- **BB SIZE** 83mm



16-MTB-27503

- **TYPE** 27.5" MTB Frame
- **MATERIAL** Alloy 6061
- **H/T SIZE** 1-1/8" x 1.5" Taper
- **BB SIZE** 68mm



FRAME

17-MTB-2901

- **TYPE** 29" MTB Frame
- **MATERIAL** Alloy 6061
- **H/T SIZE** 1-1/8" x 1.5" Taper



FMK-275

- **TYPE** 27.5" MTB Frame
- 1-1/8" x 1.5" Tapered



16-MTB-26003

- **TYPE** 26" Fat Bike Frame
- **MATERIAL** Alloy 6061
- **H/T SIZE** 1-1/8"
- **BB SIZE** 100mm



17-TSR003

FRAME

- Full Carbon Monocoque Frame
- **SIZE AVAILABLE** 45/48/50/52/54/56/58cm
- **HEAD TUBE** 1 1/8"-1 1/2"
- **SEAT POST** SP05
- **BOTTOM BRACKET** BSA BB86 PF30 BB30
- Cable Routing Internal Cable Routing (For RB/FD/RD)
- Cable Plug Mechanical and DI2 (2 in 1)
- **GRADE AVAILABLE** A 930g(For Size 54/BSA)
B 1050g(For Size 54/BSA)
- **TIRE MAX** 700 x 25C/O.L.D QR 130mm

FORK

- Full Carbon Racing Fork
- **STEERER SIZE** 1 1/8" -1 1/2"
- **INGRATED OD** 57mm
- **OFFSET** 45mm/O.L.D QR : 100mm
- **WEIGHT** A 370g/B 420g



16-RC-700C

- **TYPE** 700C RACING
- **MATERIAL** Full Cr-mo
- **H/T SIZE** 1-1/8"
- **FRAME SIZE** 520mm (C-T)
- **BB SIZE** 68mm



NEW COLLECTION FRAME

17-RC-700C01

- **TYPE** 700C ROAD Frame Kit
- **MATERIAL** Alloy 6061
- **H/T SIZE** 1-1/8" x 1.5" Taper Integrated
- **STEM** 28.6 x 100mm Alloy 6061



FRAME

17-RC-700C02

- **TYPE** 700C ROAD Frame Kit
- **MATERIAL** Full Cr-mo
- **STEM** 22.2 x 100mm Alloy 6061
- **HEAD SET** BC1" x 24T



16-RC-700C02

- **TYPE** 700C ROAD Frame
- **MATERIAL** Alloy 6061
- **H/T SIZE** 1-1/8" x 1.5" Taper
- **BB SIZE** 68mm



16-RC-700C03

- **TYPE** 700C ROAD Frame
- **MATERIAL** Alloy 6061
- **H/T SIZE** 1-1/8"
- **BB SIZE** 68mm



17-RC-700C03

- **TYPE** 700C ROAD Frame
- **MATERIAL** Alloy 6061
- **H/T SIZE** 1-1/8" Semi Integrated



16-FX700C01

- **TYPE** Fix Gear 700C
- **MATERIAL** Full Cr-mo
- **H/T SIZE** 1-1/8"
- **FRAME SIZE** 457mm (C-T)
- **BB SIZE** 68mm



NEW COLLECTION FRAME

FMK-700C-1

- **TYPE** 700C Fixed Gear
- Steel Frame and Fork



FRAME

FMK-700C-2

- **TYPE** 700C Fixed Gear
- Steel Frame and Fork



FMK-26G-01

- **TYPE** 26" Beach Cruiser Lady
- Steel Frame and Fork



FMK-26B-01

- **TYPE** 26" Beach Cruiser Gent
- Steel Frame and Fork



FMK-20G

- **TYPE** 20" Beach Cruiser Girl
- Steel Frame and Fork



FMK-20B

- **TYPE** 20" Beach Cruiser Boy
- Steel Frame and Fork



FMK-20FD

- **TYPE** 20" Folding Frame and Fork
- Steel Frame and Fork





FK2-17650B

- **WHEEL** 27.5" x 3.0
- **TRAVEL** 80/100mm
- **DAMPER** RLR
- **SPRING** Air
- **STANCHIONS** STKM, dia.: 34
- **PITCH** 140mm
- **STEERER** 1.5" to 1-1/8" Taper (CTS) Alloy
- **AXLE ID/OLD** Ø15-110
- **BRAKE MOUNT** Post



FK2-16275

- **WHEEL** 27.5"
- **TRAVEL** 100/120mm
- **DAMPER** LOR
- **SPRING** Air
- **STANCHIONS** A6000 Series, dia.: 32
- **PITCH** 130mm
- **STEERER** 1.5" to 1-1/8" Taper (CTS) Alloy
- **AXLE ID/OLD** Ø15-110
- **BRAKE MOUNT** Post



FK2-16700C

- **WHEEL** 700C
- **TRAVEL** 50/63mm
- **SPRING** Coil
- **STANCHIONS** STKM, dia.: 28
- **PITCH** 108mm
- **STEERER** 1-1/8" (TS), STKM
- **AXLE ID/OLD** Ø9-100
- **BRAKE MOUNT** Post



FK2-1626

- **WHEEL** 26"
- **TRAVEL** 50mm
- **SPRING** Coil
- **STANCHIONS** STKM, dia.: 28
- **PITCH** 108mm
- **STEERER** 1-1/8" (TS), STKM
- **AXLE ID/OLD** Ø9-100
- **BRAKE MOUNT** Poller



FK1-13027

- **CITY/TREKKING** 28"
- **STEERER** 1-1/8" & 1-1/2" Cr-Mo/Alloy
- **BLADE** Alloy 7005
- **DROPOUT** PM/IS Mount Roller



FK1-3424

- **JUMPING**
- **STEERER** CNC(4130)
- **BLADE** Cr-Mo
- **DROPOUT** Laser/Heat Treatment



FK1-6065

- CITY/TREKKING
- STEERER 1" & 1-1/8" Cr-Mo
- BLADE Cr-Mo T/B D-Type
- DROPOUT Forged



FK1-13067

- MTB 26" 29"
- STEERER 1-1/8" & 1-1/2" Cr-Mo/Alloy
- BLADE Alloy 7005
- DROPOUT Forged
- OPTIONAL PM/IS Mount



FK1-116

- BMX
- STEERER CNC (4130)
- BLADE Cr-Mo
- DROPOUT Laser/Heat Treatment



FK1-9975

- CITY/TREKKING
- STEERER 1" & 1-1/8" Cr-Mo
- BLADE Cr-Mo T/B
- DROPOUT Casting



FK1-9976

- RACING/650C/700C
- STEERER 1" & 1-1/8" Cr-Mo
- BLADE Cr-Mo T/B
- DROPOUT Forged



FK1-75352

- CITY/TREKKING
- STEERER 1" & 1-1/8" Cr-Mo
- BLADE Cr-Mo
- DROPOUT 12-15mm Thru-Axle

HANDLEBAR & BAR END

HB2-911

- **MATERIAL** Alloy 6061DB
- **WIDTH** 380/400/420/440mm
- **BARBORE** 31.8mm
- **REACH** 70mm
- **DROP** 120mm



HB2-912

- **MATERIAL** Alloy 6061DB
- **WIDTH** 700-740mm
- **BARBORE** 31.8mm
- **RISE** 0.5" /1" /1.5"



HB4-919

- **MATERIAL** AL6061 /7075, AL6061+DB, AL6061 DB + Carbon, Full Carbon
- **WIDTH** 590/610/630mm
- **BARBORE** 31.8/35mm
- **ANGLE** 6°/9°



HB4-920

- **MATERIAL** AL6061, AL6061 /7075+DB, AL6061 DB+Carbon, Full Carbon
- **WIDTH** 590/610/630/680/800mm
- **BARBORE** 31.8mm
- **ANGLE** 6°



HB4-921

- **MATERIAL** AL6061
- **DIAMETER** 24 x 28mm
- **LENGTH** 90/115mm
- **WEIGHT** 140g



HB4-922

- **MATERIAL** AL6061 3D Forged
- **DIAMETER** 22.2mm
- **LENGTH** 75/90/115mm
- **WEIGHT** 90g



HB4-923

- **MATERIAL** AL6061 3D Forged
- **DIAMETER** 22.2mm
- **WEIGHT** 145g



HB4-924

- **MATERIAL** AL6061 3D Forged
- **DIAMETER** 22.2mm
- **WEIGHT** 140g



STEM/SEAT POST/CLAMP



ST1-912

- **FOR** E-Bike
- **MATERIAL** Alloy 3D Forged
- **EXTENSION** 60-130mm
- **RISE** 7°
- **BAR BORE** 31.8mm
- **CLAMP ID** 28.6mm
- **STACK HEIGHT** 37mm



ST2-908

- **FOR** Kids/Trail
- **MATERIAL** Alloy 3D Forged
- **EXTENSION** 40~100mm
- **RISE** ±7°
- **BAR BORE** 31.8mm
- **CLAMP ID** 28.6mm
- **STACK HEIGHT** 40mm



ST1-913

- **FOR** 29ER/650B
- 4-Bolt Ahead Stem, Wide Oversize Bar Bore with Carbon Friendly Design
- **MATERIAL** 3D Forged AL6061
- **EXTENSION** 40/50/60/70mm
- **RISE** 0°
- **BAR BORE** 35mm
- **CLAMP ID** 28.6mm
- **STACK HEIGHT** 44mm



ST2-909

- **FOR** Kids
- **MATERIAL** Alloy Melt Forged/ Forged Cap
- **EXTENSION** 30mm
- **RISE** 0°
- **BAR BORE** 25.4mm
- **CLAMP ID** 28.6mm
- **STACK HEIGHT** 40mm



ST1-914

- **FOR** MTB
- 4-Bolt Ahead Stem
- **MATERIAL** 3D Forged AL6061
- **EXTENSION** 0°: 40/50/60mm
6°: 60/70/80/90/100/110/120/130mm
- **RISE** 0°/±6°
- **BAR BORE** 35mm
- **CLAMP ID** 28.6mm
- **STACK HEIGHT** 37mm



ST2-910

- **FOR** AM/Trail
- **MATERIAL** Alloy 3D Forged
- **EXTENSION** 45/60mm
- **RISE** 0°
- **BAR BORE** 31.8mm
- **CLAMP ID** 28.6mm
- **STACK HEIGHT** 40mm



ST2-906

- **FOR** Kids/Sport MTB
- **MATERIAL** Alloy Melt Forged Forged Cap
- **EXTENSION** 50/60/80/100mm
- **RISE** 10°
- **BAR BORE** 31.8mm
- **CLAMP ID** 28.6mm
- **STACK HEIGHT** 40mm



ST2-911

- **FOR** AM
- **MATERIAL** Alloy Forged
- **EXTENSION** 40mm
- **RISE** 0°
- **BAR BORE** 31.8mm
- **CLAMP ID** 28.6mm
- **STACK HEIGHT** 35mm



ST2-907

- **FOR** Kids
- **MATERIAL** Alloy Melt Forged/ Forged Cap
- **EXTENSION** 50(Bar Bore 25.4mm only)/70/90/110mm
- **RISE** 10°
- **BAR BORE** 25.4/31.8mm
- **CLAMP ID** 28.6mm
- **STACK HEIGHT** 40mm



ST4-924

- **MATERIAL** AL6061 3D Forged
- **EXTENSION** 90/100/110/120mm
- **BAR BORE** 25.4/31.8mm
- **DIAMETER** 28.6mm
- **ANGLE** 0°-40°
- **HEIGHT** 41mm



SP1-909

- **MATERIAL** Carbon Shaft+Forged Alloy Head
- **DIAMETER** 27.2/30.9/31.6mm
- **LENGTH** 250/300/350/400mm
- **OFFSET** 20mm



SP1-903

- **MATERIAL** Alloy 6061
- **CLAMP ID** 31.8/34.9mm
- **FINISH** Anodized Black



SP1-910

- **MATERIAL** AL6061 Shaft+Forged Alloy Head
- **DIAMETER** 27.2/30.9/31.6mm
- **LENGTH** 250/300/350/400mm
- **OFFSET** 0mm



SP1-904

- **MATERIAL** Alloy 6061
- **CLAMP ID** 31.8/34.9mm
- **FINISH** Anodized Black



SP3-911

- **MATERIAL** Alloy 6061
- **DIAMETER** 25.4/27.2/28.6mm
- **LENGTH** 300-350mm



SP2-901

- **MATERIAL** Alloy 6061
- **CLAMP ID** 31.8/34.9mm
- **FINISH** Anodized Color



SP3-912

- **MATERIAL** Alloy 6061 Die Casting
- **DIAMETER** 25.4/27.2/28.6mm
- **LENGTH** 300-350mm



SP2-902

- **MATERIAL** Alloy 6061
- **CLAMP ID** 31.8/34.9mm
- **FINISH** Anodized Color



SP3-913

- **MATERIAL** Alloy 7075 CNC
- **DIAMETER** 27.2/30.9/31.6mm
- **LENGTH** 350-410mm



SP2-905

- **MATERIAL** Alloy 6061
- **CLAMP ID** 25.4/28.6/31.8/34.9mm

QUICK RELEASE/HEAD PARTS

QR1-907



- For Mountain and Fat Bike
- **LEVER MATERIAL** Alloy
- **AXLE MATERIAL** Aluminum 7075
- **AXLE DIAMETER** 12mm
- **REAR LENGTH** 166/172/174mm

HP1-912



- **SIZE** 1-1/8"
- **MATERIAL** Aluminum
- **DIAMETER** 28.6/44/30mm
- **STACK HEIGHT** 17.9+2.5=20.4mm
- **BEARING** Semi-Cartridge Bearing

QR2-908



- Aluminum Alloy Quick Release Lever
- **FRONT SIZE** 109/112/114mm
- **REAR SIZE** 148/151mm

HP1-913



- **SIZE** 1-1/8" Upper+1.5" Lower
- **MATERIAL** Aluminum
- **DIAMETER** 28.6/44-56/39.8mm
- **STACK HEIGHT** 17.9+3.3=21.2mm
- **BEARING** Semi-Cartridge Bearing

QR2-909



- Forged Aluminum Alloy Quick Release Lever
- **FRONT SIZE** 112mm
- **REAR SIZE** 149mm

HP1-916



- **SIZE** 1-1/8" Upper+1.5" Lower
- **MATERIAL** Aluminum
- **DIAMETER** 28.6/44-56/39.8mm
- **STACK HEIGHT** 20.9mm
- **BEARING** Semi-Cartridge Bearing

QR2-910



- Forged Aluminum Alloy Quick Release Lever
- **FRONT SIZE** 109/112/114mm
- **REAR SIZE** 148/151mm

HP1-917



- **SIZE** 1-1/4" Upper+1-1/2" Lower
- **MATERIAL** Aluminum
- **DIAMETER** 31.8/44-56/39.8mm
- **BEARING** Semi-Cartridge Bearing

QR2-911



- Forged Aluminum Alloy Quick Release Lever
- **FRONT SIZE** 86/112mm
- **REAR SIZE** 144mm

HP2-909



- **SIZE** 1-1/8" to 1.5"
- **MATERIAL** Alloy Top Cover
- **DIAMETER** IS42/28.6, IS52/40
- **STACK HEIGHT** 9.3mm
- **BEARING** Sealed Bearings



HP2-910

- **SIZE** 1-1/8" to 1.5"
- **MATERIAL** Alloy Cap/Cup
- **DIAMETER** ZS44/28.6, ZS56/40
ZS44/28.6, ZS55/30
ZS44/28.6, ZS55/40
- **STACK HEIGHT** 12.5mm
- **BEARING** Sealed Bearing



HP3-922

- **SIZE** 1-1/8"
- **MATERIAL** PC Cap
- **DIAMETER** IS42/28.6, IS42/30
- **STACK HEIGHT** 16.2mm
- **BEARING** Cartridge Ball Bearing



HP2-911

- **SIZE** 1-1/8" to 1.5"
- **MATERIAL** Alloy Cap
- **DIAMETER** IS42/28.6, IS52/40
- **STACK HEIGHT** 8.6mm
- **BEARING** Sealed Bearing



HP3-923

- **SIZE** 1-1/8"
- **MATERIAL** Alloy Cap
- **DIAMETER** ZS44/28.6, ZS44/30
- **STACK HEIGHT** 9.9mm
- **BEARING** Semi-Cartridge Steel Cups



HP3-919

- **SIZE** 1-1/8" to 1.5"
- **MATERIAL** Alloy Cap
- **DIAMETER** IS42/28.6, IS52/39.8
- **STACK HEIGHT** 9.5mm
- **BEARING** Sealed Bearing



HP3-924

- **SIZE** 1-1/8"
- **MATERIAL** Alloy Cover/Cup
- **DIAMETER** ZS44/28.6, ZS44/30
- **STACK HEIGHT** 10mm
- **BEARING** Cartridge Ball Bearing



HP3-920

- **SIZE** 1-1/8"
- **MATERIAL** Alloy Cap
- **DIAMETER** IS42/28.6, IS42/30
- **STACK HEIGHT** 9.4mm
- **BEARING** Sealed Bearing



HP3-925

- **SIZE** 1-1/8"
- **MATERIAL** Alloy Cover/Cup
- **DIAMETER** ZS44/28.6, ZS44/30
- **STACK HEIGHT** 9.1mm
- **BEARING** Sealed Bearing



HP3-921

- **SIZE** 1-1/8"
- **MATERIAL** Alloy Cap
- **DIAMETER** IS42/28.6, IS42/30
- **STACK HEIGHT** 9.4mm
- **BEARING** Cartridge Ball Bearing



HP3-926

- **SIZE** 1-1/8" to 1.5"
- **MATERIAL** Steel
- **DIAMETER** ZS44/28.6, ZS55/39.8(30)
- **STACK HEIGHT** 10.1mm
- **BEARING** Ball-Retainer

HEAD PARTS/CHAINWHEEL & CRANKEST



HP3-927

- **SIZE** 1-1/8" to 1.5"
- **MATERIAL** Alloy Cover/Steel Cup
- **DIAMETER** ZS44/28.6, ZS55/39.8(30)
- **STACK HEIGHT** 11.8mm
- **BEARING** Semi-Cartridge Steel Cups



CW-T1-914

- Fit Fat Bike
- **CHAINRING** 36 x 22T/38 x 24T (AL7075-T73)
- **CRANK LENGTH** 165/170/172.5/175mm
- **BCD** 104/64mm
- **AXLE LENGTH** 177.5 or 190.5mm
- **FITS BB SHELL** 100 or 120mm
- **SPEED** 10/11



HP3-928

- **SIZE** 1-1/8" to 1.5"
- **MATERIAL** Alloy Cover/Cup
- **DIAMETER** ZS44/28.6, ZS55/39.8(30)
- **STACK HEIGHT** 9.5mm
- **BEARING** Sealed Bearing



CW-T1-915

- 100% CNC Production
- **CHAINRING** 53 x 40T/50 x 35T (AL7075-T73)
- **CRANK LENGTH** 165/170/172.5/175mm (AL7075-T73)
- **BCD** 110/130mm
- **SPEED** 10/11



HP3-929

- **SIZE** 1-1/8"
- **MATERIAL** Steel
- **DIAMETER** 25.4 x 44 x 30mm
- **STACK HEIGHT** 25.2mm
- **BEARING** Ball Retainer



CW-C1-20G8

- **CHAINRING** Steel 38T, Black
- **CRANK** Steel 170mm, Silver
- W/Plastic Spider G-08, CP Color



HP3-930

- **SIZE** 1-1/8"
- **MATERIAL** Alloy Cover/Cup
- **DIAMETER** 1-1/8" x 34 x 30mm
- **STACK HEIGHT** 29mm
- **BEARING** Sealed Bearing



CW-C1-DS37

- **CHAINRING** Steel 42/52T, Silver
- **CRANK** Alloy Forged 170mm, Polished Silver



HP3-931

- **SIZE** 1-1/8"
- **MATERIAL** Alloy Cover/Cup
- **DIAMETER** 1-1/8" x 34 x 30mm
- **STACK HEIGHT** 29mm
- **BEARING** Sealed Bearing



CW-C1-P17P23

- **CHAINRING** Steel 46T, Black
- **CRANK** Alloy Forged 170mm, Black
- W/Double Plastic Chainguard P-17, Black

CW-C1-TS342GP

- **CHAINRING** Steel 24/34/42T, Silver/Black
- **CRANK** Alloy Forged 170mm, Black
- W/Plastic Spider G-15, Black
- W/Plastic Chainguard P-17, Transparent

CW-T1-917

- **MATERIAL** Alloy 7075
- **SIZE** 32T/6mm, 34T/4mm, 36T/4mm

CW-C1-TS360

- **CHAINRING** Steel 22/32/42T, Black
- **CRANK** Alloy Forged 170mm, Sand Black

CW-T1-918

- **MATERIAL** Alloy 7075
- **SIZE** 30T/6mm, 32T/4mm, 34T/4mm, 36T/6mm

CW-C1-TS530P

- **CHAINRING** Steel 28/38/48T, Black
- **CRANK** Alloy Forged 170mm, Sand Black
- W/Plastic Chainguard P-08, Black

CW-T2-919

- 3pcs Alloy Single Crankset
- **CRANKARM** 5Arm, BCD144mm, 6061 Alloy Forged, Length : 165/170/175mm Option
- **CHAINRING** 44~52T, Alloy with CNC Edge, Steel Option
- **CHAINLINE** 43.5mm

CW-C1-TS540P

- **CHAINRING** Steel 24/34/42T, Silver/Black
- **CRANK** Steel Forged Crank 170mm, Black
- W/Plastic Chainguard P-17, Black

CW-T2-920

- 3pcs Alloy Riveted Crankset
- **CRANKARM** 5Arm, BCD 130mm, 6061 Alloy Forged, Length : 165/170/175mm Option
- **CHAINRING** 44~52T, Alloy with CNC Edge, Steel Option
- **CHAINLINE** 43.5mm

CW-T1-916

- **MATERIAL** Alloy 7075
- **SIZE** 53T/39T, 50T/34T, 52T/38T, 52T/36T, 48T/36T, 46T/34T

CW-T2-921

- 3pcs Alloy Riveted Crankset
- **CRANKARM** 5Arm, BCD 130mm, 6061 Alloy Forged, Length : 165/170/175mm
- **CHAINRING** 42~52T, Alloy with CNC Edge, Steel Option
- **CHAINLINE** 43.5mm

BB PARTS/GRIP SHIFTER

BB1-913



- Cartridge B.B.
- Sealed Mechanism with Plastic Sheath
- **THREAD** BC1.37" x 24T
- **AXLE** Boron Steel
- **FINISH** Phosphated Cups

BB1-918



- Cartridge B.B.
- 4 Sealed Bearing
- **THREAD** BC1.37" x 24T
- **AXLE** SCM440 Hollow Cr-mo
- **FINISH** Anodized Gold Sheath, Anodized Chromica Cup

BB1-914



- Cartridge B.B.
- Sealed Bearing w/Aluminum Sheath
- **THREAD** BC1.37" x 24T
- **AXLE** Boron Steel
- **FINISH** Phosphated Cups, Anodized Sheath

BB2-905



- 3 IN 1 Integrated BB Reducer
- Available for Frame I.D. of BB30 (42mm), Press-Fit 30 (46mm) and OS BB (I.D. 46mm/Width 61mm)
- Convert Above BB to Shimano System Ø24mm

BB1-915



- Cartridge B.B.
- Sealed Bearings w/Aluminum Sheath
- **THREAD** BC1.37" x 24T
- **AXLE** Boron Steel
- **FINISH** Barrel Polished Sheath, Phosphated Cup

BB2-906



- Press-Fit BB Set for Spindle 30mm
- Available for BB Shell I.D. 46mm & Width 68~86.5mm
- Alloy Adapters & Sleeve
- Ceramic Bearing Available
- Compatible with SRAM & FSA System

BB1-916



- Cartridge B.B.
- Sealed Bearing/Polycarbonate Sheath
- **THREAD** BC1.37" x 24T
- **AXLE** Boron Steel
- **FINISH** Black Cups, Clear Sheath

BB2-907



- External Threaded BB Set
- SRAM Compatible, Spindle 24 & 30mm
- 2 Sealed Bearings
- For Shell 68mm & 73mm
- Ceramic Bearing Available

BB1-917



- Cartridge B.B.
- Sealed Bearing
- **THREAD** BC1.37" x 24T
- **AXLE** SCM440 Hollow Cr-mo
- **FINISH** Anodized Aluminum Sheath and Cups

BB2-908



- External Threaded BB Set
- Shimano Compatible, Spindle 24 & 30mm
- 2 Sealed Bearings
- For Shell 68mm & 73mm
- Ceramic Bearing Available



BB2-909

- Press-Fit BB Set for Spindle 24mm
- Shimano System Compatible
- 2 Sealed 6805 Bearings
- For Road Bikes with Shell 86.5mm
- Ceramic Bearing Available
- Alloy Cup O.D. 41mm



GS1-901

- Shifter Lever, Black Color
- L 3S, R 8S, W/Inner Cable & Casing



BB2-910

- Truvativ Compatible
- 2 Sealed Bearings
- For Road Bike with Shell 86.5mm
- Ceramic Bearing Available
- Alloy Cup O.D. 41mm



GS2-902

- Shifter Lever, Non-Index or 3 Speed for Left, 6/7 Speed for Right



BB2-911

- Press-Fit BB Set for Spindle 24mm
- Shimano System Compatible
- 2 Sealed 6805 Bearings
- For 86.5mm Road/89.5mm and 92mm MTB



GS2-903

- Non-index or 3 Speed for Left, 6/7/8 Speed for Right
- Without Cable Casing and Grips



BB2-912

- Press-Fit BB Set for Spindle 24/22mm
- SRAM System Compatible
- 2 Sealed 6805 Bearings
- For 86.5mm Road/89.5mm and 92mm MTB



GS2-904

- Shifter Lever, Non-Index or 3 Speed for Left, 6/7/8 Speed for Right



BB3-919

- Cartridge Cotterless B.B. Sets
- For MTB & ATB, Road
- BSA 1.37" x 24T, R/L
- Components 10B21 Spindle, Steel Cups, 2Pcs Sealed Bearing Mechanism, Steel Body



GS2-905

- Shifter Lever 3 Speed for Left, 7 Speed for Right

GRIP SHIFTER/FRONT/REAR DERAILLEUR

GS2-906



- Shifter Lever, Non-Index or 3 Speed for Left, 6/7/8 Speed for Right

FD2-905



- Index Front Derailleur
- Top or Down Pull
- For Triple or Quadruple Chainwheel
- **CLAMP** 28.6/31.8mm
- **CAPACITY** 22T
- **TOP GEAR** 48T

FD1-901



- Top Gear 42T Top/Down Pull
- **CLAMP** 28.6/31.8mm

FD2-906



- Index Front Derailleur
- Top or Down Pull
- For Triple or Quadruple Chainwheel
- **CLAMP** 28.6/31.8mm
- **CAPACITY** 20T
- **TOP GEAR** 42T

FD2-902



- Frosted Surface Finish
- Use Top & Down Pull
- Suitable for Triple Chainwheel
- Steel Clamp Diameter 34.9/31.8/28.6mm
- **TOTAL CAPACITY** 20T
- **TOP GEAR** 42T

RD1-901



- For 8-Speed Index, Steel
- **TOTAL CAPACITY** 40T
- **BODY** Black
- **PULLEY** Black

FD2-903



- Friction Front Derailleur
- Top or Down Pull
- For Double Chainwheel
- **CLAMP** 28.6/31.8mm
- **CAPACITY** 14T
- **TOP GEAR** 48T/52T

RD2-902



- With Metal Finished 8/9 Speed Index
- **TOTAL CAPACITY** 43T
- Installation Directly Long Cage
- For MTB Bike

FD2-904



- Index Front Derailleur
- Top or Down Pull
- For Triple or Quadruple Chainwheel
- **CLAMP** 28.6/31.8mm
- **CAPACITY** 22T
- **TOP GEAR** 48T

RD2-903



- With Metal Finished 9/10 Speed Index
- **TOTAL CAPACITY** 45T
- Installation Directly Long Cage
- For MTB Bike



RD2-904

- With Metal Finished 9 Speed Index
- **TOTAL CAPACITY** 45T
- Installation Directly Short Cage
- For Folding Bike, BMX Bike




FW1-903

- Cassette
- **SPEED** 9 Index
- **TOOTH** 11-40T



RD2-905

- 7 Speed Index
- **TOTAL CAPACITY** 36T




FW1-904

- Cassette
- **SPEED** 10 Index
- **TOOTH** 11-40T



RD2-906

- 8 Speed Index
- **TOTAL CAPACITY** 43T



FW1-905

- Cassette
- **SPEED** 11 Index
- **TOOTH** 11-40T



RD2-907

- 6/7 Speed Index, Long Cage, Slant/Parallel
- Installation Directly
- **TOTAL CAPACITY** 36T



FW1-906

- Cassette
- **SPEED** 10 Index
- **TOOTH** 11-26T



RD2-908

- 6/7 Speed Index, Long Cage
- Installation with Bracket
- **TOTAL CAPACITY** 43T



FW1-907

- Cassette
- **SPEED** 11 Index
- **TOOTH** 11-28T

FREEWHEEL/CHAINS/HUB



FW1-912

- **SPEED** 8 Index
- **TOOTH** 13-28T



CN1-910

- **SPEC** 1/2" x 11/128"
- **SPEED** 11
- **COLOR** Double color



FW2-908

- **6S** Index Freewheel
- **TOOTH** 14T-28T



CN1-911

- **SPEC** 1/2" x 11/128"
- **SPEED** 10
- **COLOR** Double color



FW2-909

- **7S** Index Freewheel
- **TOOTH** 14T-28T



CN1-912

- **SPEC** 1/2" x 11/128"
- **SPEED** 9
- **COLOR** Double color



FW2-910

- 1/2" x 1/8"
- **TOOTH** 16T



CN1-913

- **SPEC** 1/2" x 3/32"
- **SPEED** 8
- **COLOR** NP Silver. Silver/Brown



FW2-911

- 1/2" x 1/8"
- **TOOTH** 18T



CN1-914

- **SPEC** 1/2" x 11/128"
- **SPEED** 9
- **COLOR** NP Silver.Bk/Bk.Silver/Gray.Gray/Gray

CN1-915



- **SPEC** 1/2" x 11/128"
- **SPEED** 10
- **COLOR** NP Silver.Bk/Bk.Silver/Gray

HU1-901



- 14G/28H, 32H, 36H
- **OLD** (F)100mm (R)130, 135mm
- **AXLE** 3/8" -26T

CN1-916



- **SPEC** 1/2" x 11/128"
- **SPEED** 11
- **COLOR** NP Silver.Bk/Bk

HU1-902



- 14G/36H, 48H, 68H, 72H
- **OLD** (F)100mm (R)130, 135mm
- **AXLE** 3/8" -26T

CN1-917



- **SPEC** 1/2" x 1/8"
- **SPEED** Single
- **COLOR** Brown/Brown or Available Color

HU1-903



- 14G/32H, 36H
- **OLD** 109~114mm
- **AXLE** 3/8" -24T
- **SPROCKET** 16T, 18T, 19T, 20T

CN1-918



- Half-Link Chain
- **SPEC** 1/2" x 1/8"
- **SPEED** Single
- **COLOR** Silver

HU1-904



- 14G/28H, 32H, 36H
- **OLD** (F)100mm (R)126, 130, 135mm
- **AXLE** 3/8" -26T

CN1-919



- **SPEC** 1/2" x 11/128"
- **SPEED** 11
- **COLOR** Silver

HU1-905



- 14G/28H, 32H, 36H
- **OLD** (F)100mm (R)135mm

HUB/RIM



HU1-906

- 14G/36H, 48H
- **OLD** (F)100mm (R)110, 114mm
- **AXLE** M14 x P1.0



RM1-925

- Racing/Cyclocross
- Sleeve Joint/Black/TRS
- **SPEC** 700C/622 x 17/410g



HU1-907

- 14G/28, 32H, 36H
- **OLD** (F)100mm (R)135mm



RM1-926

- Racing/Cyclocross
- Sleeve Joint/Black/TRS
- **SPEC** 700C/622 x 19/400g



HU1-908

- 14G/28, 32H, 36H
- **OLD** (F)100mm (R)135mm



RM1-927

- Racing/Cyclocross
- Sleeve Joint/Black/CSW/TRS
- **SPEC** 700C/622 x 17/435g



HU1-909

- 14G/28, 32H, 36H
- **OLD** (F)135mm (R)170, 190mm



RM1-928

- MTB/Trekking
- Sleeve Joint/Black/SSE/TRS
- **SPEC** 26"/559 x 30/505g
650B/584 x 30/530g
29"/622 x 30/560g



HU1-910

- 14G/36, 48H, 68H, 72H
- **OLD** (F)100mm (R)110, 114mm
- **AXLE** 3/8"-26T



RM1-929

- Plus
- Pin Joint/ Black/TRS
- **SPEC** 650B/584 x 45/600g



RM1-930

- Plus
- Pin Joint/Black/TRS
- **SPEC** 650B/584 x 40/590g



RM3-935

- FAT Bike
- Pinned joint
- **SPEC** 26" /559 x 75/900g
24"/507 x 75/880g
20"/406 x 75/710g
- **OPTION** Eyelets/Reduce Weight Holes



RM2-932

- MTB, Tubeless Ready
- Sleeved Joint, Welded/with Eyelets
- **SPEC** 29" x 1.5" ~1.75" / 622 x 18/470g



RM2-934

- Fat Bike
- Pinned Joint/with Eyelets
- **OFFSET** 6mm
- With 25mm Round Drilling Hole
- **SPEC** 26"/559 x 64/980g
24"/507 x 64/882g
20"/406 x 64/787g (W/Circle Cutout)



RM2-933

- MTB, Tubeless Ready
- Sleeved Joint, Welded/with Eyelets
- **SPEC** 27.5" (650B) x 1.5" ~1.75" / 584 x 18/450g



RM6-947

- **SPEC** 24" /26" x 3.5-4.0
- **HOLE** 24/28/32/36H



RM3-936

- ATB/MTB/Trekking
- Pinned Joint
- **SPEC** 700C(622-17)/589g
- **ERD** 585mm
- **OPTION** GSW/CSW



RM5-940

- **SPEC** 26" x 1.0-1.5/27.5" /700C
- **ETRTO** 559, 584, 622
- **OPTION** CNC Sidewall



RM3-937

- Downhill
- Pinned Joint/with Eyelets
- **SPEC** 700C/622 x 19/475g
650B/584 x 19/439g
26"/559 x 19/425g
24"/507 x 19/382g



RM5-941

- **SPEC** 700C x 18C/23C,
26" x 18C/23C, 24" x 18C/23C,
20" x 18C/23C, 16" x 18C/23C
- **ETRTO** 305, 406, 507, 559, 622
- **OPTION** CNC Sidewall

RIM/TIRE



RM5-942

- **SPEC** 20" /24" /26" x 1-3/8, 20" /24" /26" x 1.5-1.75, 700C 27" x 1-1/4
- **ETRTO** 406, 451, 507, 540, 559, 595, 622, 630
- **OPTION** CNC Sidewall



RM6-949

- **SPEC** 26" /27.5" /29" /700C
- **HOLE** 24/32/36H
- **OPTION** CNC Sidewall



RM5-943

- **SPEC** 26" x 1.5-1.95, 27.5/700C 27" x 1-1/4
- **ETRTO** 559, 584, 622, 630
- **OPTION** Eyelets



RM6-950

- **SPEC** 20" /24" /26" x 1.5-1.95, 700C 27" x 1-1/4
- **HOLE** 24/ 28/32/36H
- **OPTION** CNC Sidewall



RM5-945 E-BIKE

- **SPEC** 20" /24" /26" x 1.5-1.95, 700C 27" x 1-1/4
- **ETRTO** 406, 507, 559, 622, 630
- **OPTION** CNC Sidewall



RM1-931

- 650B Front & Rear Wheels w/Tape
- **RIM** Tubeless Ready Design
- **SPOKES** Stainless Steel Black
- Spokes, 32H, 3 Cross Lacing
- **HUB** Lightweight AL7075 Body 6 Bolts, Compatible with 8, 9, 10 Speed
- **FRONT WHEEL** 15mm x 110mm
- **REAR WHEEL** 12mm x 148mm
- **WEIGHT** 1890g



RM5-946 E-BIKE

- **SPEC** 16" /18" /20" /24" /26" x 1.75-2.125
- **ETRTO** 305, 355, 406, 507, 559
- **OPTION** CNC Sidewall



RM2-939

- For MTB
- **RIM** 27.5" x 32H, F/V
- **F/HUB** 4 Sealed Bearings, OLD 148mm
- **R/HUB** 2 Sealed Bearings, OLD 110mm
- Black Spokes and Nipples
- **WEIGHT** 1145g



RM6-948

- **SPEC** 20" /24" /26" x 1.5-1.75, 700C 27" x 1-1/4
- **HOLE** 24/28/32/36H



RM5-951

- **RIM** 26" x 32H, F/V
- **F/HUB** M9 x 100 x 108mm, Disc Brake
- **R/HUB** M10 x 135 x 145mm, Disc Brake Steel Spokes and Nipples
- **WEIGHT** 2480g



TR1-700-2321

- Road
- **SIZE**
700 x 23C(23-622mm), 100-145 PSI
700 x 25C(25-622mm), 100-135 PSI
700 x 27C(27-622mm), 80-115 PSI



TR2-701

- **SIZE** 700 x 32C/700 x 35C/
700 x 38C/700 x 42C/700 x 45C
- Wire/Foldable



TR2-501

- **SIZE** 700 x 20C/700 x 25C/
700 x 28C
- Wire/Foldable



TR2-810

- **SIZE** 26 x 4.0
- Wire/Foldable



TR2-502

- **SIZE** 700 x 20C/700 x 25C/
700 x 28C
- Wire/Foldable



TR2-812

- **SIZE** 27.5 x 3.0/27.5 x 2.25/
29 x 2.25
- Wire/Foldable



TR2-804

- **SIZE** 26 x 1.95/26 x 2.1
27.5 x 2.1/29 x 2.25
- Wire/Foldable



TR2-902

- **SIZE** 24 x 1-3/8
26 x 1-3/8
- Wire



TR2-808

- **SIZE** 26 x 1.95/27 x 2.25
- Wire/Foldable



TR2-904


- **SIZE** 26 x 1.75/700 x 38C
- Wire/Foldable

MECHANICAL/HYDRAULIC DISC BRAKE



DB1-909

- Mechanical Disc Brake
- Flat-mount Type for Road
- **MATERIAL** Aluminum Swing Arm & Body
- **PAD** Sintered
- **DISC ROTOR** DT-160G
- **STANDARD ROTOR SIZE** 160mm
- **OPTION ROTOR SIZE** 140mm



DB2-907

- Outer Disc SUS410
- Inner Disc AL7075
- Excellent Heat Dissipation
- **SIZE** 160mm/180mm



DB1-910

- Mechanical Disc Brake
- Flat-mount for Road Disc
- **MATERIAL** Aluminum Swing Arm & Body
- **PAD** Sintered
- **DISC ROTOR** DT-160G
- **STANDARD ROTOR SIZE** 160mm
- **OPTION ROTOR SIZE** 140mm



DB2-908

- SUS410
- Superior Heat Dissipation
- **SIZE** 200mm



DB1-911

- Hydraulic Disc Brake
- **FLUID** Mineral Oil
- **PAD** Sintered
- **CALIPER** DC-923
- **DISC ROTOR** DT-160G
- **STANDARD ROTOR SIZE** 160mm
- **OPTION ROTOR SIZE** 180mm/203mm
- 1, 2 & 3-Finger Levers Available



VB3-914

- 125mm Alloy die Casting V-brake
- **STANDARD PADS** 60mm EN
- **DK** Plastic Adjustment
- **DG** Alloy Adjustment



DB1-912

- Hydraulic Disc Brake
- **FLUID** Mineral Oil
- **PAD** Sintered
- **CALIPER** DC-925
- **DISC ROTOR** DT-160G
- **STANDARD ROTOR SIZE** 160mm
- **OPTION ROTOR SIZE** 180mm/203mm
- 2-Finger Levers



VB3-915

- 115mm Alloy die Casting V-brake
- **STANDARD PADS** 60mm EN
- **DK** Plastic Adjustment
- **DG** Alloy Adjustment



DB1-913

- Hydraulic Disc Brake
- **FLUID** Mineral Oil
- **PAD** Sintered
- **CALIPER** DC-926
- **DISC ROTOR** DT-160G
- **STANDARD ROTOR SIZE** 160mm
- **OPTION ROTOR SIZE** 180mm/203mm
- 2-Finger Levers



VB3-916

- 110mm Alloy die Casting V-brake
- **STANDARD PADS** 60mm EN
- **DK** Plastic Adjustment
- **DG** Alloy Adjustment

/ V BRAKE/BRAKE LEVER



VB3-917

- 103mm Alloy die Casting V-brake
- **STANDARD PADS** 60mm EN
- **DK** Plastic Adjustment
- **DG** Alloy Adjustment



VB1-904

- **MATERIAL** Reinforced Resin, Steel Insert Lever
- Suitable for 3/4 Finger, Return Spring



VB3-918

- 95mm Alloy die Casting V-brake
- **STANDARD PADS** 60mm EN
- **DK** Plastic Adjustment
- **DG** Alloy Adjustment



VB1-905

- **MATERIAL** Reinforced Resin, Steel Insert Lever
- Suitable for V-Brake 2 Finger, Return Spring



VB1-901

- **MATERIAL** Steel-Reinforced Resin
- Dual Spring Tension Adjustment



VB1-906

- **MATERIAL** Reinforced Resin, Steel Insert Lever
- Suitable for 2 Finger, Return Spring



VB1-902

- **MATERIAL** Steel-Reinforced Resin
- Dual Spring Tension Adjustmen



VB1-907

- **MATERIAL** Reinforced Resin, Steel Insert Lever
- Suitable for V-Brake 3/4 Finger, Return Spring



VB1-903

- **MATERIAL** Steel-reinforced Resin
- Dual Spring Tension Adjustment



VB1-908

- **MATERIAL** Reinforced Resin, Steel Insert Lever, Steel Bracket
- Suitable for 3/4 Finger, Return Spring

BRAKE SHOES/CABLES



BS1-901

- Triple Contour Design
- EN Standard Compound
- **LENGTH** 72mm V-Brake Pads



BS1-907

- For Carbon Rim
- Campy Cartridge Road Brake Shoes Set
- **LENGTH** 55mm



BS1-902

- Clear Compound for Trial Bikes
- Triple Contour Design
- Color Red/Orange/Yellow/ Green/Purple
- **LENGTH** 72mm V-Brake Pads



BS1-908

- For Shimano Deore M575, M525, M515, M495, M486, M485, M475, M466, M465, M447, M446, M445, M416, M415, M395 and M375, Nexave C501 and C601, Tektro Aquila, Draco, Auriga, Gemini, Orion, Dorado and HDC, TRP Hylex, HYRD and Spyre, RST D-power, Giant MPH Root



BS1-903

- Cartridge Brake Shoes Set
- Aluminum-Pad Holder
- Color Silver, Black, Carbon, Anodized
- Available for Triple-Color Pad
- **LENGTH** 72mm



BS1-909

- For Shimano Deore M575, M525, M515, M495, M486, M485, M475, M466, M465, M447, M446, M445, M416, M415, M395 and M375, Nexave C501 and C601, Tektro Aquila, Draco, Auriga, Gemini, Orion, Dorado and HDC, TRP Hylex, HYRD and Spyre, RST D-power, Giant MPH Root



BS1-904

- For Carbon Rim
- All Weather Compound
- An Unique Non-Cork, Composites Compound, Higher Stopping Power, Lower Heat Generation
- **LENGTH** 55mm



BS1-910

- For Shimano XTR 2011, XTR M985, XT M785, SLX M675, SLX M666, Deore M615, FSA K-Force DB-XC-9000, Afterburner DB-XC-9150



BS1-905

- For Carbon Rim
- All Weather Compound
- Anti-Squeal Design
- **LENGTH** 55mm



BS1-911

- For Shimano XTR 2011, XTR M985, XT M785, SLX M675, SLX M666, Deore M615, FSA K-Force DB-XC-9000, Afterburner DB-XC-9150



BS1-906

- For Alloy Rim
- Shimano Cartridge Road Brake Shoes Set
- **LENGTH** 55mm



BS1-912

- For Avid XO Trail 4-Piston



BS1-913

- For Avid XO Trail 4-Piston




BC2-906

- A Ø4mm SP for Index Series
- B Ø5mm SP for Index Series
- C Ø5mm SIS-2P Outer Casing
- D Ø5mm 2P Outer Casing
- E Ø5mm 1P Outer Casing



BS1-914

- For Magura MT5



BC2-907

- Ø4mm SP & Ø5mm 2P, color options.



BS1-915

- For Magura MT7




BC2-909

- Outer Casing Laser Color Series
- Ø4mm SP & Ø5mm 2P



BC1-901

- Shimano and All Road Brake System Compatible
- **LENGTH** 1.7M/pc



BC2-910

- Outer Casing Laser Color Series
- Ø4mm SP & Ø5mm 2P



BC1-902

- MTB & Universal Compatible for Brake Use
- **LENGTH** 1.7M/pc



BC2-911

- Cable Parts In Plastic Bottle



BC1-903

- Shimano and All Road Brake System Compatible for Shift Use
- **LENGTH** 1.7M/pc



BC2-912

- A Alloy 4mm
- B Alloy 5mm
- C 4mm
- D 5mm

SADDLE

SD1-917



- MTB
- **BASE** Single Density
- **FILL** Light Foam/High Density
- **RAIL** Steel
- **SIZE** 280 x 148mm

SD1-922



- Racing
- **BASE** Carbon Fiber Injection/ Nylon Fiber Injection
- **FILL** Light Foam/High Density
- **RAIL** Steel
- **SIZE** 274 x 130mm

SD1-918



- Sport for Men
- **BASE** Single Density
- **FILL** Light Foam/High Density
- **RAIL** Steel
- **SIZE** 277 x 158mm

SD1-923



- Racing
- **BASE** Single Density
- **FILL** Light Foam/High Density
- **RAIL** Steel
- **SIZE** 277 x 140mm

SD1-919



- Sport for Women
- **BASE** Single Density
- **FILL** Light Foam/High Density
- **RAIL** Steel
- **SIZE** 278 x 165mm

SD1-924



- Racing
- **BASE** Single Density
- **FILL** Light Foam/High Density
- **RAIL** Steel
- **SIZE** 278 x 147mm

SD1-920



- City/Comfort for Men
- **BASE** Double Density
- **FILL** High Density
- **RAIL** Steel
- **SIZE** 282 x 172mm

SD1-925



- Racing
- **BASE** Single Density
- **FILL** Light Foam/High Density
- **RAIL** Steel
- **SIZE** 278 x 147mm

SD1-921



- City/Comfort for Women
- **BASE** Double Density
- **FILL** High Density
- **RAIL** Steel
- **SIZE** 262 x 192mm

SD1-926



- Racing for Women
- **BASE** Double Density Nylon Fiber Injection
- **FILL** Light Foam/High Density
- **RAIL** Steel
- **SIZE** 264 x 140mm



SD1-927

- Racing for Women
- **BASE** Double Density Nylon Fiber Injection
- **FILL** Light Foam/High Density
- **RAIL** Steel
- **SIZE** 264 x 140mm



SD2-932

- Leather Saddle
- ED Spring
- **SIZE** 275 x 225mm



SD2-928

- Racing
- **BASE** Leather Printed
- **RAIL** Steel
- **SIZE** 280 x 146mm



SD2-933

- Leather Saddle
- CP Spring
- **SIZE** 242 x 178mm



SD2-929

- Racing
- **BASE** Leather Printed
- **RAIL** Steel
- **SIZE** 270 x 138mm



SD2-934

- Leather Saddle
- ED Spring
- **SIZE** 280 x 175mm



SD2-930

- Racing
- **BASE** Leather Printed
- **RAIL** Steel
- **SIZE** 278 x 145mm



SD2-935

- Leather Saddle
- CP Steel Rail
- **SIZE** 278 x 160mm



SD3-931

- Woodie
- **SIZE** 290 x 150 x 75mm



SD2-936

- Leather Saddle
- CP Spring
- **SIZE** 282 x 178mm

GRIPS/TAPE/PEDAL



GP1-914

- **MATERIAL** PU
- **TEXTURE** Diamond Pattern
- **KEY POINT** Two-Tone, Super Anti-Slippery



GP2-936

- **MATERIAL** Silicone
- **SIZE** 3cm x 155cm



GP1-917

- **MATERIAL** Silicon
- **TEXTURE** Matte
- **KEY POINT** Light Weight, Anti-Slippery



GP2-937

- **MATERIAL** Silicone
- **SIZE** 3cm x 155cm



GP1-918

- **MATERIAL** Silicon
- **TEXTURE** Matte
- **KEY POINT** Light Weight, Anti-Slippery



GP2-938

- **MATERIAL** Silicone
- **SIZE** 3cm x 155cm



GP1-919

- **MATERIAL** Silicon
- **TEXTURE** Matte
- **KEY POINT** Light Weight, Anti-Slippery



GP2-939

- **MATERIAL** EVA
- **SIZE** 3cm x 195cm



GP2-927

- **MATERIAL** Silicone
- **SIZE** 130mm

Multicolor selection



GP3-923

- **MATERIAL** PVC+TPR
- **SIZE** 125/100/92/75/60mm



GP3-924

- **MATERIAL** Silicone
- **SIZE** 130mm



PD1-930

- Trekking/Urban/City
- **BODY** Barrel Polished Aluminum W/PP Cage & Non-Slip TPE Tread
- **AXLE** 7mm Boron Steel
- **BEARING** Ball Bearings
- **SIZE** 111 x 80mm



GP3-925

- **MATERIAL** NBR
- **SIZE** 125mm



PD1-931

- Trekking/Urban/City
- **BODY** Barrel Polished Aluminum, Inlaid Grey TPE Tread
- **AXLE** 9mm Boron Steel
- **BEARING** Ball bearings
- **SIZE** 112 x 71mm



GP3-926

- **MATERIAL** PVC+TPR
- **SIZE** 135/92/72mm




PD1-932

- Trekking/Urban/City
- **BODY** One-Piece Black PP Body, Inlaid Grey TPE Tread
- **AXLE** 7mm Boron Steel
- **BEARING** Ball Bearing
- **SIZE** 111 x 80mm



GP4-922

- **TYPE** Woodie Grip
- **SIZE** 130mm/130mm



PD1-933

- Trekking/Urban/City
- **BODY** One-Piece Nylon Body, Inlaid Stainless Grip Tread
- **AXLE** CNC Machined Cr-mo
- **BEARING** LSL & Sealed Ball Bearings
- **SIZE** 111 x 87 x 20mm



GP5-921

- **BASE** Cow Leather
- **SIZE** 128/90mm



PD1-934

- Trekking/Urban/City
- **BODY** One-Piece PP Body, with Black Sandpaper Inlaid
- **AXLE** 7mm Boron Steel
- **BEARING** Ball Bearings, Extended Cup
- **SIZE** 111 x 87 x 23mm

PEDAL



PD1-935

- EPB System
- **BODY** Barrel Polished Aluminum
- **AXLE** 7mm Boron Steel
- **BEARING** EPB System
- **SIZE** 113.5 x 110.5mm



PD1-940

- VX Series
- **BODY** Coated Aluminum
- **AXLE** CNC Machined Cr-mo
- **BEARING** LSL & Double Sealed Ball Bearings
- **SIZE** 83.5 x 75.5mm



PD1-936

- EPB System
- **BODY** Barrel Polished Aluminum, W/PP Cage & Inlaid TPE Tread
- **AXLE** 7mm Boron Steel
- **BEARING** EPB System
- **SIZE** 104 x 82mm



PD1-941

- VX Series
- **BODY** Coated Aluminum
- **AXLE** CNC Machined Cr-mo
- **BEARING** LSL & Double Sealed Ball Bearings
- **SIZE** 90 x 90mm



PD1-937

- EPB System
- **BODY** Barrel Polished Aluminum, W/PP Cage & Inlaid TPE Tread
- **AXLE** 7mm Boron Steel
- **BEARING** EPB System
- **SIZE** 104 x 82mm



PD1-942

- VX Series
- **BODY** Coated Aluminum
- **AXLE** CNC Machined Cr-mo
- **BEARING** Roller & Double Sealed Ball Bearings
- **SIZE** 83.5 x 58.5mm



PD1-938

- VX Series
- **BODY** Coated Aluminum
- **AXLE** CNC Machined Cr-mo
- **BEARING** Ball bearing
- **SIZE** 81 x 58.5mm



PD1-943

- VX Series
- **BODY** Coated Aluminum
- **AXLE** CNC Machined Cr-mo
- **BEARING** Roller & Double Sealed Ball Bearings
- **SIZE** 83.5 x 75.5mm



PD1-939

- VX Series
- **BODY** Coated Aluminum
- **AXLE** CNC Machined Cr-mo
- **BEARING** LSL & Double Sealed Ball Bearings
- **SIZE** 83.5 x 58.5mm



PD1-944

- VX Series
- **BODY** Coated Aluminum
- **AXLE** CNC Machined Cr-mo
- **BEARING** Roller & Double Sealed Ball Bearings
- **SIZE** 90 x 90mm



PD2-945

- MTB
- **BODY** Forged Alloy Body with Molded Pin
- **AXLE** Cr-mo
- **BEARING** Sealed Bearing
- **SIZE** 100 x 100 x 18mm



PD2-950

- MTB
- **BODY** One Piece Alloy Body with Molded Pin
- **AXLE** Steel/Boron/Cr-mo
- **BEARING** Loose Balls
- **SIZE** 108 x 100 x 24mm



PD2-946

- MTB
- **BODY** Forged Alloy Body with Srew Pin
- **AXLE** Cr-mo
- **BEARING** Sealed Bearing
- **SIZE** 100 x 100 x 18mm



PD2-951

- MTB/ATB/CITY
- **BODY** One Piece PP Body
- **AXLE** Steel/Boron/Cr-mo
- **BEARING** Loose Balls
- **SIZE** 107 x 82 x 30mm



PD2-947

- Road
- **BODY** One Side Clip Pedal/Alloy Body with TPR Rubber
- **AXLE** Cr-mo
- **BEARING** Sealed Bearing
- **SIZE** 95.2 x 94.8 x 29mm



PD2-952

- MTB/ATB/CITY
- **BODY** One Piece PP Body
- **AXLE** Steel/Boron/Cr-mo
- **BEARING** Loose Balls
- **SIZE** 109 x 95 x 25mm



PD2-948

- MTB
- **BODY** CNC Alloy Body with Screw Pin
- **AXLE** Cr-mo
- **BEARING** Sealed Bearing
- **SIZE** 99 x 98 x 16mm



PD3-916

- BMX/Freestyle/Fix-gear for 20"-26"
- **BODY** Nylon Fiber
- **AXLE** Cr-Mo
- **SIZE** 100 x 110 x 28mm



PD2-949

- Trekking/City/Comfort
- **BODY** Burnished Alloy Body
- **AXLE** Steel/Boron/Cr-mo
- **BEARING** Loose Balls
- **SIZE** 97 x 81 x 23mm



PD3-917

- Downhill/BMX/Fix-gear
- **BODY** 1-PC PC Hi-impact Body/ Nylon Fiber
- **AXLE** Cr-Mo
- **SIZE** 102 x 110 x 24mm

PEDAL



PD3-918

- City
- **BODY** Alloy Body with Slice of Rosewood
- **AXLE** Steel
- **SIZE** 110 x 67 x 24mm



PD4-923

- BMX
- **BODY** Die-Cast Aluminum
- **AXLE** CNC-machined Cr-mo
- **BEARING** LSL Bushing & Sealed
- **SIZE** 112 x 110mm



PD3-919

- City
- **BODY** Alloy Body with Slice of Rosewood
- **AXLE** Steel
- **SIZE** 110 x 67 x 24mm



PD4-924

- BMX
- **BODY** 6061 Aluminum, CNC-machined Body
- **AXLE** CNC-machined Cr-mo
- **BEARING** LSL Bushing & Sealed
- **SIZE** 113 x 105mm



PD3-920

- City
- **BODY** Alloy Extrusion CNC Finished, with Slice of Bamboo
- **AXLE** Cr-mo
- **BEARING** 1 DU+1 Sealed
- **SIZE** 100 x 90 x 18mm



PD4-925

- MTB
- **BODY** Die-cast Aluminum Body with CNC Aluminum Platform
- **AXLE** CNC-machined Cr-mo (cartridge)
- **BEARING** LSL Bushing & Sealed
- **SIZE** 105 x 103mm



PD3-921

- City
- **BODY** Alloy Extrusion CNC Finished, with Slice of Bamboo
- **AXLE** Cr-mo
- **BEARING** 1 DU+1 Sealed
- **SIZE** 100 x 90 x 18mm



PD4-926

- MTB
- **BODY** Die-cast Aluminum Body with Engineering Thermoplastic Platform
- **AXLE** CNC-machined Cr-mo (cartridge)
- **BEARING** LSL Bushing & Sealed
- **SIZE** 105 x 103mm



PD4-922

- BMX
- **BODY** Die-Cast Magnesium
- **AXLE** CNC-machined Cr-mo
- **BEARING** LSL Bushing & Sealed
- **SIZE** 112 x 110mm



PD4-927

- City
- **BODY** 6061 Aluminum, CNC-machined Body with Sand-paper
- **AXLE** CNC-machined Cr-mo
- **BEARING** LSL Bushing & Sealed
- **SIZE** 98 x 78mm



PD5-928

- BMX
- **BODY** Nylon with Replaceable Steel Pins
- **AXLE** CNC-Machined Cr-mo
- **BEARING** 1DU+1 Sealed Ball Bearing
- **SIZE** 100 x 95mm



PD6-956

- MTB
- **BODY** PP
- **AXLE** Steel
- **BEARING** Ball Bearing
- **SIZE** 105 x 65mm



PD5-929

- BMX
- **BODY** Nylon with Mould Pins
- **AXLE** CNC-Machined Cr-mo
- **BEARING** 1DU+1 Sealed Ball Bearing
- **SIZE** 100 x 95mm



PD6-957

- CITY
- **BODY** PP
- **AXLE** Steel
- **BEARING** Ball Bearing
- **SIZE** 112 x 70mm



PD6-953

- MTB
- **BODY** CNC Alloy
- **AXLE** Cr-Mo
- **BEARING** Sealed Bearing
- **SIZE** 108 x 105mm



PD6-958

- ROAD
- **BODY** Alloy
- **AXLE** Cr-Mo
- **BEARING** Sealed Bearing
- **SIZE** 103 x 63mm



PD6-954

- ROAD
- **BODY** Die-Cast Aluminum
- **AXLE** CNC-Machined Cr-mo
- **BEARING** LSL Bushing & Sealed
- **SIZE** 80 x 60mm



PD6-959

- BMX
- **BODY** Alloy
- **AXLE** Cr-Mo
- **BEARING** Sealed Bearing
- **SIZE** 95 x 91mm



PD6-955

- BMX/Fix-gear
- **BODY** PC Body
- **AXLE** Steel
- **BEARING** Ball Bearing
- **SIZE** 110 x 100mm



PD6-960

- BMX
- **BODY** Alloy
- **AXLE** Steel
- **BEARING** Sealed Bearing
- **SIZE** 108 x 108mm

MUDGUARD/CARRIER



MG1-908

- **MATERIAL** Aluminum
- **WIDTH** 30/35/40/45/50/55mm



MG2-914

- For Fatbike
- **MATERIAL** PP
- **SIZE** Front : L 440mm, W 130mm
Rear : L 540mm, W 141mm



MG1-910

- **MATERIAL** PP
- **SIZE** Adjustable, 3-Position Rear Bridge to Fit Up to 29"
- Quick-Release on Front Mudguard to Fit Ø18.5-34.5mm Inner Head-Tube



MG2-915

- For Downhill or Suspension
- **MATERIAL** PP
- **SIZE** for 26"~29" ATB, MTB Bikes
- Front Angle Adjustable Size Ø18~28mm
- Rear Mudguard Quick-Adjustable



MG1-911

- **MATERIAL** PP
- **SIZE** Adjustable, Twist-Knob Rear Bridge to Fit Up to 29"
- Quick-Release on Front Mudguard to Fit Ø18.5-34.5mm Inner Head-Tube



MG3-916

- Downhill or Suspension
- **MATERIAL** PP
- **SIZE** for 24"~28" Suspension Bikes



MG2-912

- **MATERIAL** PP
- **SIZE** for 26"~29" ATB, MTB Bikes
- Front Angle Adjustable Size 18~28mm



MG3-917

- Downhill or Suspension
- **MATERIAL** PP
- **SIZE** for 24"~28" Downhill and Suspension Bikes
- Rear Plastic Adjustable Mudguard for Free Extension
- Multi-Function Connecting Bridge with Bracket



MG2-913

- **MATERIAL** PP
- **SIZE** for 24"~26" ATB, MTB Bikes
- Front Angle Adjustable Size 18~28mm



MG4-906

- **MATERIAL** PP
- **SIZE** 24"~26"



MG4-907

- **MATERIAL** PP
- **SIZE** 24"~26"



RC1-901

- **MATERIAL** Aluminum/PC/ABS
Fits Ø25.4~31.8mm Seatposts
- **SIZE** L475 x W105 x H60mm



MG5-904

- **MATERIAL** Wood
- **SIZE** F620mm/R1200mm
- **WIDTH** 25/35/40/50/55/60/110mm



RC2-902

- **MATERIAL** Alloy
- **SIZE** 26"~29" Adjustable



MG5-905

- **MATERIAL** Wood
- **SIZE** F620mm/R1200mm
- **WIDTH** 25/35/40/50/55/60/110mm



RC3-903

- **MATERIAL** Alloy
- **SIZE** 24", 26", 700C, 28"



MG1-906

- **MATERIAL** Aluminum
- **SIZE** 16"~29"
- **WIDTH** 35/38/40/45/50/55mm



RC3-904

- **MATERIAL** Alloy
- **SIZE** 24", 26", 700C, 28"



MG1-907

- **MATERIAL** Aluminum
- **SIZE** 16"~29"
- **WIDTH** 30/37/45/50/55/60/65mm



RC3-905

- **MATERIAL** Alloy
- **SIZE** 24", 26", 700C, 28"

CARRIER/BASKET



RC3-906

- **MATERIAL** Alloy
- **SIZE** 24", 26", 700C, 28"



BT1-913

- Front Basket with Fitting Parts
- **SIZE** 40 x 32 x 20/12cm



RC3-907

- **MATERIAL** Alloy
- **SIZE** 24", 26", 700C, 28"



BT1-914

- Front Basket with QR and Handle With Grip Brown. Mix Brown. Mix Black
- **SIZE** 35 x 24 x 22/PE Wicker
39 x 28 x 24/PE Wicker



RC3-908

- **MATERIAL** Alloy
- **SIZE** 24", 26", 700C, 28"



BT1-915

- Front Basket with QR and handle with Grip Black
- **SIZE** 36 x 26 x 25cm/38 x 26 x 26 cm



RC3-909

- **MATERIAL** Alloy
- **SIZE** 24", 26", 700C, 28"



BT2-916

- **MATERIAL** Wicker
- **SIZE** 35 x 26 x 22cm



RC3-910

- **MATERIAL** Alloy
- **SIZE** 24", 26", 700C, 28"



BT2-917

- **MATERIAL** Wood
- **SIZE** 39 x 28 x 17cm


BT2-918

- **MATERIAL** Wood
- **SIZE** 36 x 25 x 25cm


BT3-923

- **MATERIAL** PP
- **SIZE** 326.5 x 20.5 x 16.5cm
- Fit 12"~20" Kid's Bikes


BT2-919

- **MATERIAL** Alloy
- **SIZE** 42 x 34 x 25cm


BT3-924

- **MATERIAL** PP
- **SIZE** 27.5 x 20.8 x 16.3cm
- Fit 16"~18" Kid's Bikes


BT3-920

- **MATERIAL** PP
- **SIZE** 38.9 x 29.7 x 26cm
- Fit 24"~26" City Bikes


BT3-925

- **MATERIAL** PP
- **SIZE** 34.5 x 27 x 24.3cm
- Fit 26"/700C Bikes


BT3-921

- **MATERIAL** PP
- **SIZE** 37.5 x 28.5 x 29.1cm
- Fit 24"~26" City Bikes


BT3-926

- **MATERIAL** PP
- **SIZE** 41.5 x 21.5 x 29cm
- Fit 24"/26" City Bikes


BT3-922

- **MATERIAL** Steel
- **SIZE** 30 x 16 x 21cm
- Fit 24"~26" Bikes


BT3-927

- **MATERIAL** PP
- **SIZE** 33 x 24.5 x 22cm
- Fit 16"/18" Kid's Bikes

KICKSTAND/LIGHT



KD1-916

- **MATERIAL** Alloy
- **SIZE** Any Size



KD2-922

- **MATERIAL** Alloy
- **SIZE** 24" /26" /28" /29"
- For Cross Bike and Electric Bike



KD1-917

- **MATERIAL** Alloy
- **SIZE** 20"~29" Adjustable



KD2-923

- **MATERIAL** Alloy Top with Alloy Leg
- **SIZE** 20" /24" /26" /28"



KD2-919

- **MATERIAL** Alloy
- **SIZE** Adjustable 20"~ 28"
- Fitted to Chain Stay Neck



KD3-925

- **MATERIAL** Alloy
- **SIZE** Adjustable 24" -28"



KD2-920

- **MATERIAL** Alloy
- **SIZE** Adjustable 20"~28"
- Fitted to Chain Stay Neck



KD3-926

- **MATERIAL** Alloy
- **SIZE** 20" /24" /26" /28"



KD2-921

- **MATERIAL** Alloy, Ultra Light
- **SIZE** Adjustable 12"~20" or 20"~28"
- Fitted to Chain Stay Neck



KD3-927

- **MATERIAL** Alloy
- **SIZE** 24" /26" /28"



KD3-928

- **MATERIAL** Alloy
- **SIZE** Adjustable 24" -28"



LT1-937

- Cree LED, 50 Lumens
- **BATTERY CAPACITY** 580 mAh
- **CHARGING TIME** 3hrs (Standard USB)
- **ALARM SPEC** 60dps (Effective Distance 10 Meters)



KD3-929

- **MATERIAL** Steel
- **SIZE** 16" /18" /20" /24" /26"



LT1-938

- Cree LED, 700 Lumens
- **BATTERY SPEC** Replaceable Battery
- **CHARGING TIME** 7hrs (Standard USB)



KD3-930

- **MATERIAL** Steel
- **SIZE** 16" /18" /20" /24" /26"



LT1-939

- Cree LED, 700 Lumens
- **BATTERY SPEC** Replaceable Lithium-Ion Polymer Battery
- **CHARGING TIME** 7hrs (Standard USB)



KD3-931

- **MATERIAL** Steel
- **SIZE** 24" /26" /27" /28"



LT1-940

- Cree LED, 1200 Lumens
- **BATTERY** Power Bank 5V 2.1A (Standard USB Output)
- **RUNNING TIME** (Steady) 2.5hrs(2.5A), 3hrs(2.2A); (Flash) 6hrs(8150mAh)



KD3-932

- **MATERIAL** Steel
- **SIZE** 18" /20" /24" /26" /28"



LT1-941

- Cree LED, 700 Lumens
- **BATTERY** Power Bank 5V 2.1A (Standard USB Output)
- **RUNNING TIME** (Steady) 3H(2.5mAh); (Flash) 12.5H(3200mAh)

LIGHT



LT2-901

- Front Light
- 3 White Japan LED
- 50hrs Runtime
- Mounting Ø22.2/25.4/31.8mm



LT2-906

- USB Front Light
- White Nichia LED
- 30hrs Runtime
- Mounting Ø22.2/25.4/31.8mm



LT2-902

- USB Front Light
- CREE XML White LED
- 2hrs Runtime, 500 Lumens
- Mounting Ø22.2/31.8mm



LT2-907

- USB Front Light
- White Japan LED
- Low Battery Indicator
- Mounting Ø22.2/25.4/31.8mm



LT2-903

- USB Front Light
- 1W CREE White LED
- 3hrs Runtime, 120 Lumens
- Mounting Ø22.2/25.4/31.8mm



LT2-908

- 3 Ultra Bright Red LED
- Bracket : Seatpost Bracket or Saddle Bracket
- Battery AAA x 2 pcs



LT2-904

- USB Front Light
- 3W CREE White LED
- 4hrs Runtime, 200 Lumens
- Mounting Ø10~48mm



LT2-909

- 3 Ultra Bright Red LED
- Bracket : Seatpost Bracket or Saddle Bracket
- Battery AAA x 2 pcs



LT2-905

- USB Front Light
- XML White LED
- 1hrs Runtime, 500 Lumens
- Mounting Ø10~48mm



LT2-910

- One Ultra Bright Red
- Lithium Battery CR1025 x 1 pc



LT2-911

- One Ultra Bright Red
- Lithium Battery CR2032 x 1 pc



LT2-916

- USB Headlight
- Single CREE LED
- 3.5hrs Runtime, 200 Lumen
- 580mAh Lithium Battery Inside
- Mounting : Ø10~48mm



LT2-912

- USB Tail Light
- 19 Chips High Brightness LED Light
- 2.5hrs Runtime, 20 Lumen
- Mounting Ø18~50mm



LT2-917

- USB Front Light
- 5 Ultra Bright White LED
- 5.5hrs Runtime, 2500mcd
- Mounting : Ø10~48mm



LT2-913

- USB Tail Light
- 19 Chips High Brightness LED Light
- 20hrs Runtime, 80 Lumen
- Mounting Ø18~50mm



LT2-918

- USB Rear Light
- 5 Ultra Bright Red LED
- 8hrs Runtime, 12000mcd
- Mounting : Ø10~48mm



LT2-914

- Rear Light
- Function Steady-50% Steady-Flash- Two-side Flash-Breath Flash
- Pad & Pad for Aero Tube



LT3-919

- 1 Watt White LED
- 25LUX, Waterproof
- Mounting Ø22.2~31.8mm
- **FUNCTIONS** Steady-1/2" Steady-off
- **BATTERY SIZE** AA x 2pcs



LT2-915

- USB Headlight
- One White LED, 100 Lumen
- Low Battery Indicator
- 580mAh Lithium Battery Inside



LT3-920

- 1 Watt White LED USB Front Light
- 30LUX, Waterproof
- Low Battery Indicator
- **FUNCTIONS** Steady-1/2" Steady-off
- Mounting Ø22.2~31.8mm

LT3-921



- 1 Watt White LED
- 30LUX, Waterproof
- Low Battery Indicator
- **FUNCTIONS** Steady-1/2" Steady-off
- Mounting Ø22.2~31.8mm

LT3-926



- 0.5 Watt white LED Head Light
- 10LUX, Waterproof
- **FUNCTIONS** Steady-Flash-Flash-off
- **BATTERY SIZE** AAA x 3pcs

LT3-922



- 1 Watt White LED Head Light
- 30LUX, Waterproof
- **FUNCTIONS** Steady-Flash-off
- **BATTERY SIZE** AA x 2pcs

LT3-927



- 5 Super Bright Red LED
- Waterproof
- **FUNCTIONS** Stead -Flash-Chasing-off
- **BATTERY SIZE** AAA x 2pcs

LT3-923



- 1 Watt White LED
- 7LUX, Waterproof
- **FUNCTIONS** Steady-Flash-off
- **BATTERY SIZE** AAA x 2pcs

LT3-928



- 3 Super Bright White LED
- Waterproof
- **FUNCTIONS** Flash-Chasing-Chasing-Steady-off
- **BATTERY SIZE** AAA x 1pc

LT3-924



- 0.5 Watt White LED USB Rear Light
- 5LM, Waterproof
- Low Battery Indicator
- **FUNCTIONS** Steady-1/2" Steady-off
- **BATTERY SIZE** Rechargeable 3.7V 300mAh

LT3-929



- 3 Super Bright Red LED
- Waterproof
- **FUNCTIONS** Flash-Chasing-Chasing-Steady-off
- **BATTERY SIZE** AAA x 1pc

LT3-925



- 0.5 Watt White LED Head Light
- 10LUX, Waterproof
- **FUNCTIONS** Steady-Flash-off
- **BATTERY SIZE** AA x 2pcs

LT3-930



- 1 Super Bright Red LED
- Waterproof
- **FUNCTIONS** On-off
- **BATTERY SIZE** AAA x 2pcs



LT3-931

- 1 Watt White LED USB Headlight
- 20LUX, Waterproof
- Low Battery Indicator
- **FUNCTIONS** Steady-1/2" Steady-Flash-off
- **BATTERY SIZE** Rechargeable 3.7V 600mAh



LT3-936

- 6 Watt White LED USB Headlight
- 500 Lumens, Waterproof
- Low Battery Indicator
- **FUNCTIONS** 100% Steady-70% Steady-50% Steady-25% Steady-Flash-off
- **BATTERY SIZE** Rechargeable 3.7V 2000mAh



LT3-932

- 3 Red LED
- Waterproof
- 80mm or 50mm Carrier Fit Mount
- **FUNCTIONS** On-off
- **BATTERY SIZE** AAA x 2pcs



LT4-943

- 3 Watt Hi-Power USB Headlight
- 300 Lumens
- **5 MODES** Constant-Boost-Super Bright-Pulsating-Flashing



LT3-933

- 2 Super Bright Red & White LED
- **FUNCTIONS** Steady-Flash-Flash-off
- **BATTERY SIZE** CR2032 x 2pcs



LT4-944

- Super Bright Rechargeable Headlight
- 10 Watt Hi-Power Rechargeable Headlight
- 500 Lumens
- **5 MODES** Constant-Boost-Super Bright-Pulsating-Flashing



LT3-934

- 1 Watt White LED
- 30LUX, Waterproof
- **FUNCTIONS** Steady-1/2" Steady-Flash-off
- **BATTERY SIZE** AA x 2pcs



LT4-945

- Aluminum Light Set
- Front Light : 50 Lumens
- Rear Light : 15 Lumens
- Tool Free, Water Resistant
- **3 MODES** Flashing-Constant-Pulsating



LT3-935

- 3 Watt White LED USB Headlight
- 300 Lumens, Waterproof
- Low Battery Indicator
- **FUNCTIONS** 100% Steady-70% Steady-50% Steady-25% Steady-Flash-off
- **BATTERY SIZE** Rechargeable 3.7V 2000mAh



LT4-947

- Rechargeable Safety Front Light
- Cable Free Charging
- Side Visibility, Water Resistant
- Low Battery Indicator
- **4 MODES** High Beam-Low Beam-Flashing-Pulsating

LIGHT/PUMP



LT4-946

- Soft Body Safety Light Set
- Slip Resistant Design
- **MOUNTING** Ø19~32mm
- **3 MODES** Flashing-Constant-Pulsating



LT4-951

- Rechargeable Super Bright Rear Light
- Fits Round and Aero Style Seatposts, Seatstays, and Forks.
- Low Battery Indicator
- Water Resistant
- **5 MODES** hi beam-low beam flashing 1-flashing 2-pulsating



LT4-948

- Soft Body Safety Light
- Slip Resistant Design
- **MOUNTING** Ø19~32mm
- **2 MODES** Flashing-Constant
- Certificated by EU Toy Safety Direction(EN71)



LT4-952

- Super Bright Rechargeable Headlight
- Tool-Free Mounting (fit 18-48mm)
- Low Battery Indicator
- **4 MODES** low-high-pulsating-flashing



LT4-949

- Soft Body Safety Light
- Slip Resistant Design
- **MOUNTING** Ø19~32mm
- **2 MODES** Flashing-Constant
- Certificated by EU Toy Safety Direction(EN71)



LT4-953

- Hi-Power Rechargeable Headlight
- Tool-Free Mounting (Fit 18-48Mm)
- Low Battery Indicator
- **5 MODES** Constant-boost-super bright-pulsating-day flash



LT4-950

- Rechargeable Lightguide Rear Light
- Fits Round and Aero Style Seatposts, Seatstays and Forks
- Low Battery Indicator
- Water Resistant
- **3 MODES** Constant-Flashing1-Flashing 2



LT4-954

- Cable Free Rechargeable Rear Light
- 8 Lumens
- Quick Release Mounting
- Low Battery Indicator
- **4 MODES** High-low-flasing-pulsating



PP1-905

- Hi-tech LCD Display Panel Digital Gauge for Reliable & Long Term Use
- Fit for Schrader, Presta and Dunlop
- **MAX. PRESSURE** 180psi
- **SIZE** 27" in Total Height



PP1-910

- Economic Mountain Mini Pump W/Extractable Hose
- Plastic Handle & Valve Cap & Shaft, W/Thumb Lock Lever
- Reversible for Presta or Schrader
- **MAX. PRESSURE** 80psi
- **SIZE** 9" Length

PP1-907

- Swivel Dual Face Gauge for MTB and Fat Tire Floor Pump
- **MAX. PRESSURE** 80psi for MTB Tire, 30psi for FAT Tire
- **SIZE** 27.5" in Total Height



PP1-911

- Economic Mini Pump W/Hose
- Plastic Handle & Valve Cap & Shaft, W/Thumb Lock Lever
- Reversible for Presta or Schrader
- **MAX. PRESSURE** 100psi
- **SIZE** 9" Length



PP1-908

- Floor Pump W/Based Mounted Gauge
- Durable Steel Barrel
- **MAX. PRESSURE** 160psi
- **SIZE** 26" in Total Height



PP1-912

- 8" One Way Mini Pump W/Top Lever on Head
- Reversible Presta and Schrader
- Reinforced Plastic Barrel
- **MAX. PRESSURE** 100psi
- **SIZE** 8" Length

Multicolor selection

PP1-909

- Swivel Dual Face Gauge for High Volume and High Pressure Floor Pump
- Fit for Presta and Schrader
- **MAX. PRESSURE** 40psi for FAT Tire, 160psi for MTB Tire
- **SIZE** 27.5" in Total Height



PP1-916

- Mountain CNC Mini Pump W/CNC Gauge and Extractable Hose
- Reversible Presta and Schrader with Thumb-Lock Lever
- **MAX. PRESSURE** 80psi
- **SIZE** 8"-9" Length



PUMP/BELL



PP1-917

- Hybrid CNC Mini Pump W/CNC Gauge and Extractable Hose
- Reversible Presta and Schrader with Thumb-Lock Lever
- **MAX. PRESSURE** 110psi
- **SIZE** 8"~9" Length



PP1-922

- Engaged Auto Power-On High Pressure Digital Shock Pump
- **MAX. PRESSURE** 600psi
- **SIZE** 11.5" Length

PP1-919

- Hi-polish Alum Micro Floor Pump W/Alum T Handle W/CNC Gauge
- Reversible for Presta and Schrader
- **MAX. PRESSURE** 140psi
- **SIZE** 12" Length



PP1-923

- Engaged Auto Power-On High Volume Digital Shock Pump
- **MAX. PRESSURE** 200psi
- **SIZE** 10" Length



PP1-920

- Hi-polish Big Volume Micro Floor Pump W/CNC Gauge
- Reversible for Presta and Schrader
- **MAX. PRESSURE** 140psi
- **SIZE** 13" Length



PP2-924

- CO2 Pump
- Alloy CNC Machined Auto Switching
- Dual Head Fits Schrader/Presta Valve
- OD 18.50mm Alloy Barrel W/Alloy Handle

PP1-921

- Engaged Auto Power-On Compact Digital Shock Pump
- **MAX. PRESSURE** 300psi
- **SIZE** 8.5" Length



PP2-925

- W/2" Industrial Gauge, Ld Head Plastic Handle
- Tear-Drop Shape Alloy Barrel
- Top Mount 2" Industrial Gauge
- Patented Dual Head Fits Schrader/Presta





PP2-926

- W/2.5" Spring Gauge, LD Head Rubber-Covered Composite Handle
- Precision Drawn Aluminum Barrel
- Thalf-Height 2.5" Spring Gauge
- Patented Dual Head Fits Schrader/Presta



BL1-901

- **MATERIAL** Alloy Dome with Plastic Base and Lever
- **CLAMP SIZE** 22.2 mm
- **DOMESIZE** 37.5mm
- **OPERATION** Knocking, Single Sound

PP2-927

- Retractable Hose W/Preset Schrader
- Presta Adapter Included
- Fits Schrader/Presta
- Locking Valve Thread Onto Tire's Valve Securely



BL1-902

- **MATERIAL** Alloy Dome with Plastic Base and Lever
- **CLAMP SIZE** 22.2 mm
- **DOMESIZE** 37.5mm
- **OPERATION** Knocking, Single Sound



PP3-901

- Alum. Handle and Barrel
- Alum. Die-casting Base
- Fit for Schrader, Presta, Dunlop and E/V
- **MAX. PRESSURE** 160psi
- **SIZE** 32 x 630mm



BL1-903

- **MATERIAL** Alloy Dome with Plastic Base and Lever
- **CLAMP SIZE** 22.2 mm
- **DOMESIZE** 37.5mm
- **OPERATION** Knocking, Single Sound



BL1-904

- **MATERIAL** Brass Dome with Steel Base and Lever
- **CLAMP SIZE** 22.2mm & 25.4mm
- **DOMESIZE** 55mm

PP3-902

- Steel Barrel
- Fit for Schrader, Presta, Dunlop and E/V
- **MAX. PRESSURE** 160psi
- **SIZE** 32 x 620mm



BL1-905

- **MATERIAL** Brass Dome
- **CLAMP SIZE** 22.2mm
- **DOMESIZE** 32mm

BELL/HELMET



BL2-906

- **MATERIAL** Alloy Top with Plastic Base
- **DOME** 32mm
- Adjustable Strap, for Dia : 27.2mm~31.8mm



BL2-911

- **MATERIAL** Alloy Top with Plastic Base and Lever
- **SIZE** 45mm



BL2-907

- **MATERIAL** Alloy Top with Plastic Base
- **DOME** 32mm
- Adjustable Strap, for Dia : 19.2mm~31.8mm



BL2-912

- 55mm Chime Bell



BL2-908

- **MATERIAL** Alloy Top with Plastic Base
- **DOME** 40mm



BL2-913

- **MATERIAL** Brass Top with Plastic Strap
- **SIZE** 23mm



BL2-909

- **MATERIAL** Alloy Top with Plastic Base
- **DOME** 34mm



BL2-914

- **MATERIAL** Steel Top with Steel Clamp
- **DOME** 55mm



BL2-910

- **MATERIAL** Alloy Top with Plastic Base and Ever
- **DOME** 41mm



BL2-915

- **MATERIAL** Alloy Top with Plastic Base
- **SIZE** 41mm
- For Ø22.2mm



HM1-901

- MTB Helmet
- **SIZE** XL(61~63cm), L(58~61cm), M(55~58cm)
- **WEIGHT** 250g
- **SHELL** PC/EPS
- 23 Vents, In-Mould



HM2-906

- Ski Helmet
- **SIZE** S(52-56cm), M(56-58cm)
- **WEIGHT** 580g +/-20g
- **SHELL** ABS/PC
- 10 Vents, In-Mould



HM1-902

- FREESTYLE Helmet
- **SIZE** L(58~60cm), M(56~58cm), S(54~56cm)
- **WEIGHT** 440g
- **SHELL** ABS/PC/EPS
- 12 Vents, In/Out-Mould



HM2-907

- Mountain Climbing Helmet
- **SIZE** M(51-62cm)
- **WEIGHT** 407g
- **SHELL** EPS+PP
- 10 Vents, Injection



HM1-903

- MTB Helmet
- **SIZE** XL(61~63cm), L(58~61cm), M(55~58cm)
- **WEIGHT** 310g
- **SHELL** PC/EPS
- 22 Vents, In-Mould



HM2-908

- Bicycle Helmet
- **SIZE** S(52-56cm), M(56-58cm)
- **WEIGHT** 340g
- **SHELL** PC+EPS
- 19 Vents, In-mould



HM1-904

- CROSS Helmet
- **SIZE** L(58~61cm), M(55~58cm)
- **WEIGHT** 780g
- **SHELL** Fiberglass
- 13 Vents, Out-Mould



HM2-909

- R8 Bluetooth Bike Helmet
- **SIZE** S(52-56cm), M(56-58cm)
- **WEIGHT** 320g
- **SHELL** PC+EPS
- 8 Vents
- With Bluetooth Speaker+LED Tail Light



HM2-905

- Horse Helmet
- **SIZES** XXS-S(51-55cm), S-M(55-57cm), M-L(57-59cm), L-XL(59-61cm)
- **WEIGHT** 480±50g
- **SHELL** ABS/EPS, In-Mould



HM2-910

- Bicycle Helmet
- **SIZE** M(56-58cm), L(58-62cm)
- **WEIGHT** 250g
- **SHELL** PC+EPS
- 24 Vents, In-mould

WATER BOTTLE/WATER BOTTLE CAGE



Multicolor selection

WBC5-914

- MATERIAL HET
- CAPACITY 500ml



Multicolor selection

WBC5-919

- MATERIAL HET
- CAPACITY 550ml



Multicolor selection

WBC5-915

- MATERIAL HET
- CAPACITY 680ml



Multicolor selection

WBC5-920

- MATERIAL HET
- CAPACITY 750ml



Multicolor selection

WBC5-916

- MATERIAL HET
- CAPACITY 680ml



Multicolor selection

WBC5-921

- MATERIAL HET
- CAPACITY 600ml



Multicolor selection

WBC5-917

- MATERIAL PP
- CAPACITY 750, 800ml



Multicolor selection

WBC5-922

- MATERIAL Ldpe
- CAPACITY 800ml



Multicolor selection

WBC5-918

- MATERIAL HET
- CAPACITY 750ml



Multicolor selection

WBC5-923

- MATERIAL HET
- CAPACITY 680ml



WBC1-904

• MATERIAL Alloy



WBC3-907

• MATERIAL PC



WBC1-905

• MATERIAL Alloy



WBC3-908

• MATERIAL Alloy



WBC2-901

• MATERIAL Carbon Fiber



WBC3-909

• MATERIAL PC



WBC2-902

• MATERIAL Carbon Fiber



WBC3-910

• MATERIAL Alloy
• Plastic with 5mm Alloy Wire Connection



WBC3-906

• MATERIAL Alloy



WBC3-911

• MATERIAL PC

CELLPHONE HOLDER/BAG



MH1-901

- **MATERIAL** ABS
- **MIN** (W x L) 78 x 150mm
- **MAX** (W x L) 105 x 210mm
- **COLOR** Black/Blue/Orange/Green



BG1-917

- For iPhone 6 plus
- **SIZE** 9 x 1.1 x 17cm



MH1-902

- **MATERIAL** ABS
- **MIN** (W x L) 56 x 95mm
- **MAX** (W x L) 87 x 150mm
- **COLOR** Black/Blue/Orange/Green



BG1-918

- For Samsung Note 1/Note 2/Note 3/Note 4
- **SIZE** 9.5 x 1.1 x 17cm



MH1-903

- **MATERIAL** PA/Alloy 6061
- Universal Stem Face Plate Cell-Phone Holder with Suspension
- **MIN** (W x L) 122 x 52 x 7mm
- **MAX** (W x L) 170 x 82 x 11mm



BG1-919

- **MATERIAL** 600D/EVA
- Environment Friendly Fabric None Pvc Material with I-Touch Screen Transparent
- **SIZE** 11 x 10.5 x 15.5cm



MH1-904

- **MATERIAL** PA/Alloy 6061
- Universal stem Top Cap Cellphone Holder
- **MIN** (W x L) 122 x 52 x 7mm
- **MAX** (W x L) 170 x 82 x 11mm



BG1-920

- **MATERIAL** 210D Nylon
- I-Touch Screen with Reflective Strip Velcro for Fastening on Top Tube of Frame
- **SIZE** 11 x 10.5 x 15.5cm



BG2-912

- Smart Phone Pouch
- **MATERIAL** Water-resistant 600D Polyester/PVC
- **SIZE** 9.5 x 16.5 x 2cm
- Attachment Nifco ST1 System



BG2-901

- **MATERIAL** Water-resistant 600D Polyester
- **SIZE** 17.8 x 10.5 x 11.4cm
- Attachment Clip1 Tool Free Q.R. System



BG2-902

- **MATERIAL** Water-resistant 600D Polyester Expandable Com Partment, Reflec
- **SIZE** 13 x 9 x 8cm W/Strap



BG2-907

- **MATERIAL** Water-resistant 600D Polyester
- **SIZE** 25.5 x 5 x 8cm
- Attachment Velcro Strap
- Fit for Most Top Tubes



BG2-903

- **MATERIAL** Water-resistant 600D Polyester/Polyurethane
- **SIZE** 18 x 7 x 8.5cm
- Attachment Strap/Side Release Buckle



BG2-908

- Hydration Backpack
- **MATERIAL** Water-resistant 600D Polyester
- **SIZE** 47.0 x 28.6 x 8.9 cm
- **TOTAL CAPACITY** 3.5 Ltr.
- **HYDRATION CAPACITY** 1.5 Ltr
- W/1.5ltr.TPU Bladder



BG2-904

- **MATERIAL** Water-resistant 600D Polyester
- **SIZE** 16.5 x 10 x 10cm
- Attachment Velcro Strap
- Water-Proof Zipper & Reflective Strap



BG2-909

- Cycling Hydration Pack
- **MATERIAL** Water-resistant 600D Polyester
- **SIZE** 53 x 25 x 9 cm
- **TOTAL CAPACITY** 5.5 Ltr
- **HYDRATION CAPACITY** 1.5 Ltr



BG2-905

- **MATERIAL** Water-resistant 600D Polyester
- **SIZE** 18 x 11 x 9cm
- Attachment Velcro Strap



BG2-910

- Hydration Backpack
- **MATERIAL** 600D PVC, 420D PVC
- **SIZE** 30.5 x 12 x 44cm
- **CARGO CAPACITY** 16 ltr W/1.5 Ltr Bladder
- Attachment Cam Buckles



BG2-906

- **MATERIAL** Water-resistant 420D PU
- **SIZE** 56 x 17 x 17cm
- Attachment Velcro Strap



BG2-911

- Tool Bag
- **MATERIAL** Water-resistant 600D Polyester/EVA
- **SIZE** 8 x 20cm
- Water-proof Zipper

BAG/GLOVES/LOCK



BG3-913

- **BASE** Cow Leather Bag
- **SIZE** 202 x 62 x 102mm



GV1-942

- **SIZE** XS~XXL



GV1-938

- **SIZE** XS~XXL



LK1-901

- **CABLE SIZE** 8mm x 1500mm(60")



GV1-939

- **SIZE** XS~XXL



LK1-902

- **CABLE SIZE** 8mm x 1500mm(60")



GV1-940

- **SIZE** XS~XXL



LK2-903

- **CABLE SIZE** Ø 8 x 1000mm/
Ø10 x 1000mm/Ø12 x 1000mm



GV1-941

- **MATERIAL** Amara, Lycra, Towel, Rubber Pads Palm
- **SIZE** XS~XXL



LK2-904

- **CABLE SIZE** Ø10 x 1000mm/
Ø12 x 1000mm/Ø15 x 1000mm



LK3-905

- **CABLE SIZE** Ø8 x 1000mm/
Ø10 x 1000mm/Ø12 x 1000mm



LK2-910

- **CABLE SIZE** Ø8 x 650mm/
Ø10 x 650mm/Ø12 x 650mm



LK3-906

- **CABLE SIZE** Ø6 x 1000mm/
Ø8 x 1000mm/Ø10 x 1000mm



LK2-911

- **CABLE SIZE** Ø6 x 650mm/
Ø8 x 650mm/Ø10 x 650mm



LK3-907

- **CABLE SIZE** Ø8 x 1000mm/
Ø10 x 1000mm/Ø12 x 1000mm



LK3-912

- **CABLE SIZE** Ø 8 x 1000mm/
Ø10 x 1000mm/Ø12 x 1000mm



LK2-908

- **CABLE SIZE** Ø8 x 1000mm/
Ø10 x 1000mm/Ø12 x 1000mm



LK3-913

- **CABLE SIZE** Ø8 x 1200mm/
Ø10 x 1200mm/Ø12 x 1200mm



LK2-909

- **CABLE SIZE** Ø8 x 650mm/
Ø10 x 650mm/Ø12 x 650mm
Ø15 x 650mm



LK3-914

- **CABLE SIZE** Ø5mm In Any Length

LK3-915



- **CABLE SIZE** Ø12mm In Any Length

TL2-903



- 2 IN 1 CO2 & Tire Lever
- Air Flow Control by Twisting The CO2 Cartridge
- Fit for Presta and Schrader
- Fit for 16 Grams W/Thread Cartridge

LK3-916



- **CABLE SIZE** Ø8 x 1200mm/
Ø10 x 1200mm/Ø12 x 1200mm

TL3-904



- Cold Patch Repair Kits
- 48pcs-Patch 24 x 35mm
- 1pc-Glue 20ml

LK3-917



- **CABLE SIZE** Ø10 x 1200mm/
Ø12 x 1200mm/Ø15 x 1200mm

TL3-905



- Bicycle Repair Kit
- 2pcs-T9 Nylon Tire Lever
- 6pcs-Glueless Patch DIA.25mm
- 1pc-Sand Paper
- 2pcs-16g CO2 Cartridge
- 1pc-YPT108 Regulator
- 1pc-YPT102-E Extension
- 1pc-E/A Adaptor
- W/Tool Bag

TL1-901



- For BB86/92/30(41mm)
- Install & Remove Bearing 6805 (25 x 37 x 7mm)
- Install & Remove Bearing 6806 (30 x 42 x 7mm)
- Install & Remove Press-fit BB R92/T86
- Install & Remove R30(Converter for BB30 to BB24)

TL3-906



- Bicycle Repair Kit
- 1pc-YPT108 Regulator
- 2pcs-CO2 Cartridge 16g
- 1pc-T52 Insulator
- 1pc-YPT102-E Extension
- 1pc-E/A Adaptor
- 1set-YP3207MP Bicycle Repair Kit (Patch 20mm 4pcs, 25mm 2pcs)
- 1pc-Metal Rasp 1pc, 5ml Glue
- 2pcs-T9 Nylon Tire Lever

TL2-902



- 2 IN 1 Alum CO2 & Tire Lever
- Air Flow Control by Twisting The CO2 Cartridge
- Fit for Presta and Schrader
- Fit for 16 Grams W/Thread Cartridge

TL3-907



- Bicycle Repair Kit
- Cold Patch 21 x 30mm 1pc, 21 x 25mm 2pcs, DIA.21mm 3pcs
- 1pc-Metal Rasp 1pc, 5ml Glue
- 2pcs-Nylon Tire Lever(T9D)
- 1pc-YPT108 Regulator
- 2pcs-CO2 Cartridge 16g
- 1pc-T52 Insulator
- 1pc-YPT102-E Extension
- 1pc-E/A Adaptor
- 1pc-Tool Bag



TL4-908

- Pocket Bike Tool with CO2
- Innovative 4-side-open Design Easy Grip/Compact Size
- CO2 Nozzle Fits Schrader/Presta Chain Cutter
- ALLEN Key 2/2.5/3/4/5/6/8mm
- TORX 25 Wrench
- Philip/Flat Screwdriver
- Open Wrench 10mm
- Spoke Wrench 3.23/3.3/3.45/3.96



TL6-913

- Pedal Wrench
- 15mm Pedal Wrench and 6/8mm Hex Key Wrench



TL5-909

- Body Aluminum 6061
- Chain Tool & Bit Holder Material Cr-Mo
- Adjustable Spoke Wrench. Size 3.30/3.45
- Size 51 x 28 x 89 mm
- BIT Material S2



TL6-914

- Tire Lever Set
- 2 Sides Reinforced Metal Core for Remove Different Tires Even the Heavy-Duty Tires
- Small and Portable.
- Length 10cm



TL5-910

- Adjustable Spoke Wrench
- Size 49 x 28 x 83 mm
- BIT Material S2
- Chain Tool & Bit Holder Material Cr-mo
- Body Aluminum Alloy 6061 A1 T6



TL6-915

- Hydraulic Disc Brake Hoses Cutter
- It's a Small and Compact Design for Cutting the Brake Hoses



TL5-911

- Size 36 x 28 x 105 mm
- BIT Material S2
- Chain Tool & Bit Holder material Cr-mo
- Body Aluminum Alloy 6061 A1 T6



TL6-916

- Hydraulic Disc Brake Hoses Cutter & Ruler
- It's a Small and Compact Design for Cutting the Brake Hoses with Measurement Ruler
- Six-Way Blades



TL5-912

- 12 Kinds of Bits for Changing
- Size 28 x 28 x 97 mm
- BIT Material S2
- Chain Tool & Bit Holder Material Cr-mo
- Body Aluminum 6061



TL6-917

- Two-way Hex Wrench Kit
- 2/2.5/3/4/5/6/8mm/T10/T25/PH2

TOOL/CLEANER

TL6-918



- Bike Cleaning Brush
- Brush Can Be Connected with Water Hose

TL6-919



- Bike Cleaning Brush
- Tender Fiber and Wide Range Brush for Big Cleaning Area, Soft Grip Handle

TL6-920



- **HOME MECHANIC TOOL KIT**
- Chain Rivet Extractor
- Folding Tool, 2/2.5/3/4/5/6/8mm/Flat/Phillips Screwdriver
- Patch Kit
- Flat Screwdriver 3mm
- Flat 5mm/Phillips Screwdriver
- 8mm Hex Key Wrench/Square Adaptor
- Freewheel & Pedal Wrench
- Freewheel Wrench
- Chain Scrubber
- Hub Spanner 13/14mm
- Hub Spanner 15/16mm
- Hub Spanner 17/18mm
- Tire Lever Set
- Spoke Wrench
- Chain Hook

TL6-921



- **PROFESSIONAL TOOL KIT, FOR SHIMANO USE**
- T20/T25/T30
- Spoke Wrench
- Dust Cap Wrench
- Chain Ring Nut Wrench
- Flat Screwdriver 3mm
- Flat 5mm/Phillips Screwdriver
- 8mm Hex Key Wrench/Square Adaptor
- Tire Lever Set
- 2/2.5/3/4/5/6mm Hex Key Wrench
- 3 Sizes Bottom Bracket Wrench
- Freewheel & Pedal Wrench
- Freewheel Wrench
- Cartridge Bottom Bracket Tool
- Multipurpose Master Link Tool
- Chain Rivet Extractor Hub Spanner
- 13/14/15/16/17/18mm
- Crank Puller/Chain Hook

TL6-922



- **TOOL KIT**
- Crank Puller
- Chain Tool
- Bottom Bracket Wrench
- 15mm Spanner
- Freewheel Turner
- Dust Cap Wrench
- Cartridge B.B. Tool
- Lock Ring Remover
- 8mm Hex Key Wrench/Square Adaptor

TL6-923



- **ADVANCED MECHANIC TOOL KIT, UPDATED SHIMANO SYSTEM**
- Chain Scrubber
- Hub Cone Spanner 13/14/15/16/17/18mm
- Adjustable Chain Remover
- Freewheel Remover
- Freewheel Turner/Pedal Wrench
- Chain Ring Nut Wrench
- Spoke Wrench 0.127" = 3.2mm
- Spoke Wrench 0.130" = 3.3mm
- Spoke Wrench 0.136" = 3.5mm
- Flat/Phillips Screwdriver
- Flat Screwdriver ; Master Link Tool
- Cable Cutter ; Dust Cap Wrench
- Ball-End Hex Key Wrench 1.5/2/3/4/5/6/8/10mm
- Chain Wear Indicator
- Bottom Bracket Wrench, for Hollowtech II Bb, Bb-9000, Bbr60 and Fsa Mega Evo
- Chain Hook
- 8mm/10mm Spanner ; 9mm/11mm Spanner
- Patch Kit
- Crank Puller
- Cartridge B.B. Tool
- Dual Functions Wrench
- Metal Tire Lever Length 202mm 2pcs
- T20/T25/T30

TL6-924



- **ESSENTIAL BIKE TOOL KIT**
- Chain Tool
- Folding Tool
- Spoke Wrench
- Freewheel Chain Wip
- Cassette Lock Ring Tool
- 15mm Pedal Wrench

TL6-925



- **RESCUE BAG**
- Chain Rivet Extractor ; Tire Lever Set
- Folding Tool, 2/2.5/3/4/5/6/8mm/Flat/Phillips Screwdriver
- Torx Folding Tool, T9/T10/T15/T20/T25/T27/T30/T40
- Patch Kit
- 15Mm Stainless Pedal Wrench, Bottle Wrench, Steel Cole Tire Lever, 3.2/3.5mm
- Spoke Wrench



CL-23

- Bicycle Care Set
- One Bottle of Eco-Detergent
- One Bottle of Chain Detergent
- One Bottle of Dry Lubricant for Chains
- Absorbent Cloth
- Cleaning Sponge
- Cleaning Brush
- Cleaning Bucket



CL-228

- Bicycle Luster
- The Auto Polish Luster is Developed for Rejuvenating Bicycles, to Return to Original Color Which is Faded by Oxidation
- Net Contents 425ml



CL-50

- Wax Lubricant for Chains
- Smooth Bicycle Chains and Also to Prevent Abrasion From the Wet
- Effectively Prevent the Dust and Keep the Smooth of Chain While Riding



CL-320

- Bicycle Lubrication
- Special Designed for Bicycle Lubrications, Highly Permeated, Could Loosen Jammed Bicycle Screws and Parts, and Also Protects Parts with a Thin Lubricating Film
- Net Contents 425ml



CL-100

- Dry Lubricant
- In Order to Keep Cycles in the Best Operating Condition, Chains and Deraileur Need Different Lubricants
- With Various Ingredients to Adapt to Different Climates and Different Environments
- Net Contents 120ml, 150ml, 425ml



CL-360

- PTFE Chain Lubricant
- Formulated to Work and Last Under Severe Riding Condition
- It Provides Excellent Lubrication and a Shield That Reduces Friction and Prolongs Chain Life
- Net Contents 5ml, 120ml



CL-110

- Chain & Freewheel Cleaner
- Dirt and Contaminants Accumulate Gradually on Moving Parts. The Environmental Mildly Degreaser Offers a Quick and Effective Way to Clean Parts and Remains Them New
- Net Contents 120ml, 1Gal



CL-535

- Wet-Type Lubricant
- In Damp and Wet Environment, The Wet Lubricant Ensures the Resistance of Wet to Bicycle Chains, Gears, and Deraileur.
- It Also Remains the Best Lubrication to Bicycle Chains While in Race
- Net Contents 120ml, 150ml, 425ml



CL-120G

- Golden Elite Lubricant
- Provide Excellent Lubricity and Anti-Jammed Function, Can Be Used for Any Bicycle Components Which Require Lubrication or Antirust, Ensuring Easy Disassembly In The Future
- Net Contents 120ml



CL-750

- Shock Cleaner
- Shock Cleaner Could Remove Dirt That Adhered to The Inside of Stanchion, and Could Activate Rubber Oil Seal Which Enables to Extend Life of Suspension Fork
- Net Contents 150ml

BABY SEAT/TRAINER/BIKE CARRIER



BY1-901

- Front Baby Seat with One-Button Q/R Safety System
- Adjustable Footrests
- **SIZE** W260 x H525 x D190mm
- **COLOR** Blue/Gray



BY1-902

- Assemble on Rear Carrier
- Adjustable Footrests
- **SIZE** W310 x H750 x D310mm
- **COLOR** Blue/Gray



BY1-903

- Rear Baby Seat with One-Button Q/R Safety System
- Adjustable Footrests
- Attached Protected Handlebar and Headrest
- **SIZE** W310 x H695 x D240mm
- **COLOR** Blue/Gray



BY2-904

- **BODY MATERIAL** PP
- **BODY COLOR** Black/Grey/Red/Blue



BY2-905

- **BODY MATERIAL** PP
- **BODY COLOR** Black/Grey/Red/Blue



TA1-901

- **MATERIAL** Steel
- **FINISH** Black Powder Coating



BR1-901

- 3-Bike Carrier
- **MATERIAL** Steel



TA1-902

- Aluminum Roller with Aluminum Frame
- **MATERIAL** Aluminum
- **FINISH** Anodized



BR1-902

- 2-Bike Carrier
- **MATERIAL** Steel



TA1-903

- Red Plastic Cover with Aluminum Roller with Aluminum Frame
- **MATERIAL** PP & Aluminum
- **FINISH** Anodized



BR1-903

- 2-Bike Carrier
- **MATERIAL** Steel



TA2-904

- Suitable for All Road and Mountain Bikes, Including 29"
- Specially Designed and Stable Pedal Make It More Easily to Get on and Off
- Folded Down Promptly and Easy to be Stored and Carried.



BR1-904

- 3-Bike Carrier
- **MATERIAL** Steel



TA2-905

- Front Roller Can be Manually Operated to Adjust The Position Without Using Tools.
- Heightened Rotation Device of the Front Roller Prevents the Bike From Falling Down
- Suitable for 20"~29" Bike



BR1-905

- Spare Tire Shuttle Sparap for 2 Bikes
- **MATERIAL** Steel

CYCLE COMPUTER/ACCESSORIES



CC1-901

- 8 Functions/11 Functions
- Wired



CC2-906

- **5 FUNCTIONS** Current Speed, Trip Distance, Odometer, 12/24 hours Clock, Auto Scan



CC1-902

- 8 Functions
- Wired



CC2-907

- **9 FUNCTIONS** Current Speed, Average Speed, Maximum Speed, Riding Time, Trip Distance, Odometer 1, Odometer 2, 12/24 hour Clock, Speed Pace



CC1-903

- 11 Functions
- Wired



CC2-908

- **8 FUNCTIONS** Current Speed, Average Speed, Maximum Speed, Trip Distance, Odometer, Riding Time, 12/24 hours Clock, Auto Scan



CC1-904

- 8 Functions/11 Functions
- Wired



CC2-909

- **8 FUNCTIONS** Current Speed, Average Speed, Maximum Speed, Trip Distance, Odometer, Riding Time, 12/24 hours Clock, Auto Scan



CC1-905

- 8 Functions/11 Functions
- Wireless



CC2-910

- **8 FUNCTIONS** Current Speed, Average Speed, Maximum Speed, Trip Distance, Odometer, Riding Time, 12/24 hours Clock, Auto Scan



EZ-03

- Intelligent Portable Charger Headset
- **SIZE** 92.5mm x Ø20mm
- Charger Capacity 3000mAh
- Application Head Tube w/inner Diameter Ø22.8mm~26mm



BC-C1-700C

- **SIZE** 1182 x 883.6 x 312.4mm
- With Wheels
- Fit for 700C Road Bike and 27.5" Wheel Diameter MTB



AS1-962

- Chain Protectors
- **MATERIAL** Silicon Rubber
- **DIAMETER** Any Size
- **THICKNESS** 0.6/1/1.5mm



BC-C1-M26

- **SIZE** 1262 x 856 x 310.3mm
- With Wheels
- Fit for 26" Wheel Diameter MTB



AS2-963

- iPhone Case for 16/17
- **MATERIAL** Aluminum 6061
- **SIZE** 145 x 29 x 2.2mm
- Smart Ring-Place Hand and Different Angles, Prevent Edge Damage
- Can be Customized



BC-T2-6003

- **SIZE** 98 x 81 x 75cm
- With Wheels
- ABS Bike Case



AS966

- Front Wheel Stand
- **BODY COLOR** Black/Red, Black/Grey, Black/Light Blue
- **BODY MATERIAL** PP



BC-T2-6004

- **SIZE** 110 x 20 x 84cm
- With Wheels
- ABS Bike Case



BC-C1-F20

- **SIZE** 887.9 x 702 x 400.5mm
- With Wheels
- Fit for 20" Wheel Diameter Folding Bicycle



BC-T1-6317

- Bike Travel Bag
- **MATERIAL** 600D Polyester
- **SIZE** 132 x 21.6 x 85cm
- Two Individual Internal Wheel Compartments
- For 24"~29" Bikes



ASIA BICYCLE TRADING COMPANY

4F-3, No.408, Sec.2 Nantwen Rd.Taichung 408, Taiwan

T +886-4-24725658 F+886-4-24735625

E abc12688@ms8.hinet.net

CHINA OFFICE 1

Rm.802, unit 2 BLD 28, Wanke Siji Garden,
Zhang Jan Wo Town, Tianjing

CHINA OFFICE 2

Rm 302, unit 2 BLD 17, Kao Qiao District, ChenXiang Street,
XiaoSan HangZhou

www.abcbike.com.tw

